BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Caspase-8 CASP8 Rabbit Monoclonal Antibody

Catalog Number: M00042-1

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-Caspase-8 CASP8 Rabbit Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Caspase-8 CASP8 Rabbit Monoclonal Antibody catalog # M00042-1. Tested in WB, IHC, ICC/IF applications. This antibody reacts with Human, Mouse, Rat.
Application	IF, IHC, ICC, WB
Clonality	Monoclonal GAI-3
Formulation	Rabbit IgG in stabilizing components, phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q14790

Technical Details


Immunogen	A synthesized peptide derived from human Caspase-8
Isotype	Rabbit IgG
Form	Liquid
Concentration	0.5mg/ml
Purification	Affinity-chromatography
Suggested Dilutions	WB, 1:1000-1:2000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


	IHC, 1:50-1:200 ICC/IF, 1:50-1:200

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


Anti-Caspase-8 CASP8 Rabbit Monoclonal Antibody (M00042-1) Images




All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.



Immunohistochemical analysis of paraffin-embedded human uterus, using Caspase-8 Antibody.




All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.



Immunofluorescent analysis of Hela cells, using Caspase-8 Antibody.

Western blot analysis of Caspase-8 expression in HeLa cell lysate.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com



3 Publications Citing This Product

1. PubMed ID: 28032492, Croton Tiglium Extract Induces Apoptosis via Bax/Bcl-2 Pathways in Human Lung Cancer A549 Cells

2. PubMed ID: 26261530, Protective effect of RIP and c-FLIP in preventing liver cancer cell apoptosis induced by TRAIL

3. PubMed ID: 20081872, Inhibition of proliferation of prostate cancer cell line, PC-3, in vitro and in vivo using (%u2212)-gossypol

Visit bosterbio.com/anti-caspase-8-rabbit-monoclonal-antibody-m00042-1-boster.html to see all 3 publications.

Anti-Caspase-8 CASP8 Rabbit Monoclonal Antibody

For Research Use Only. Not for use in diagnostic procedures.