

Anti-Dnmt1 Rabbit Monoclonal Antibody

Catalog Number: M00172


Overview

Product Name	Anti-Dnmt1 Rabbit Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Dnmt1 Rabbit Monoclonal Antibody catalog # M00172. Tested in WB, IHC, ICC/IF applications. This antibody reacts with Human, Mouse, Rat.
Application	IF, IHC, ICC, WB
Clonality	Monoclonal AODB-4
Formulation	Rabbit IgG in stabilizing components, phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P26358


Technical Details

Immunogen	A synthesized peptide derived from human Dnmt1
Isotype	Rabbit IgG
Form	Liquid
Concentration	0.5mg/ml
Purification	Affinity-chromatography
Suggested Dilutions	WB 1:500-2000 IHC 1:50-200 ICC/IF 1:50-200


Anti-Dnmt1 Rabbit Monoclonal Antibody (M00172) Images



Western blot analysis of DNMT1 using anti-DNMT1 antibody (M00172). Electrophoresis was performed on a 8% SDS-PAGE gel at 80V (Stacking gel) / 120V (Resolving gel) for 2 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human HeLa whole cell lysates, Lane 2: human Jurkat whole cell lysates, Lane 3: human HepG2 whole cell lysates, Lane 4: human 293T whole cell lysates, Lane 5: rat NRK whole cell lysates, Lane 6: mouse NIH/3T3 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-DNMT1 antigen affinity purified monoclonal antibody (M00172) at 1:500 overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an ECL Plus Western Blotting Substrate (Catalog # AR1196-200) with Tanon 5200 system. A specific band was detected for DNMT1 at approximately 200 kDa. The expected band size for DNMT1 is at 183 kDa.





Immunohistochemical analysis of paraffin-embedded Human glioblastoma, using the Antibody at 1:100 dilution.



Immunohistochemical analysis of paraffin-embedded Mouse lung, using the Antibody at 1:100 dilution.

Immunohistochemical analysis of paraffin-embedded Rat spleen, using the Antibody at 1:100 dilution.



Immunohistochemical analysis of paraffin-embedded Human lung large cell cancer, using the Antibody at 1:100 dilution.

3 Publications Citing This Product

1. PubMed ID: 10.3892/etm.2020.9227, Melatonin prevents the binding of vascular endothelial growth factor to its receptor and promotes the expression of extracellular matrix-associated genes in nucleus pulposus cells
2. PubMed ID: 32989385, Shen C,Li Y,Chen Y,Huang L,Zhang F,Wu W.Melatonin prevents the binding of vascular endothelial growth factor to its receptor and promotes the expression of extracellular matrix-associated genes in nucleus pulposus cells.Exp Ther Med.2020 Nov;20(5):106.doi
3. PubMed ID: 29389913, Shikonin Inhibites Migration and Invasion of Thyroid Cancer Cells by Downregulating DNMT1

Visit [bosterbio.com/anti-dnmt1-rabbit-monoclonal-antibody-m00172-boster.html](https://www.bosterbio.com/anti-dnmt1-rabbit-monoclonal-antibody-m00172-boster.html) to see all 3 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Dnmt1 Rabbit Monoclonal Antibody

For Research Use Only. Not for use in diagnostic procedures.