

Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody

Catalog Number: M00570-1


Overview

Product Name	Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody catalog # M00570-1. Tested in IHC applications. This antibody reacts with Human, Mouse, Rat.
Application	IF, IHC
Clonality	Monoclonal 3F3
Formulation	Liquid in PBS containing 50% glycerol, 0.5% stabilizing protein and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Mouse
Uniprot ID	P06729


Technical Details

Immunogen	Synthetic Peptide of CD2
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Suggested Dilutions	IHC 1:200 IF 1:50-200


Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody (M00570-1) Images




Immunohistochemistry validation of CD2 using Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody (M00570-1). Immunohistochemical analysis of paraffin-embedded Human Tonsil Carcinoma using CD2 Mouse monoclonal antibody diluted at 1:500. For more protocol information of IHC




Immunohistochemistry validation of CD2 using Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody (M00570-1). Immunohistochemical analysis of human-colon tissue. Anti-CD2 at 1:200 (4°C)



Immunohistochemistry validation of CD2 using Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody (M00570-1). Immunohistochemical analysis of human liver cancer tissue. Anti-CD2 at 1:200 (4°C)



Immunohistochemistry validation of CD2 using Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody (M00570-1). Immunohistochemical analysis of mouse spleen tissue. Anti-CD2 at 1:200 (4°C)



Immunohistochemistry validation of CD2 using Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody (M00570-1). Immunohistochemical analysis of rat spleen tissue. Anti-CD2 at 1:200 (4°C)

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your



reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-T-cell surface antigen CD2 CD2 Monoclonal Antibody

For Research Use Only. Not for use in diagnostic procedures.