

Anti-Bov CD62L Purified SELL Monoclonal Antibody

Catalog Number: M00652

About SELL

CD62L (L-selectin) is an adhesion glycoprotein that is constitutively expressed on the cell surface of leukocytes and mediates their homing to inflammatory sites and peripheral lymph nodes by enabling rolling along the venular wall. CD62L is also involved in activation-induced neutrophil aggregation. Activation-dependent CD62L shedding, however, counteracts neutrophil rolling. CD62L has also signaling roles including enhance of chemokine receptor expression. Similarly to CD62P, the major ligand of CD62L is PSGL-1 (P-selectin glycoprotein ligand-1).

Overview

Product Name	Anti-Bov CD62L Purified SELL Monoclonal Antibody
Reactive Species	Cow, Human
Description	Boster Bio Anti-Bov CD62L Purified SELL Monoclonal Antibody (Catalog# M00652). Tested in Flow Cytometry, IP, ICC application(s). This antibody reacts with Cow, Human.
Application	Flow Cytometry, IP, ICC
Clonality	Monoclonal IVA94
Formulation	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage Instructions	Store at 2-8°C. Do not freeze.
Host	Mouse
Uniprot ID	P98131

Technical Details

Immunogen	Bovine leukocytes. The antibody IVA94 reacts with an extracellular epitope of CD62L antigen (bovine). CD62L (L-selectin) is a 74-95 kDa single chain type I glycoprotein expressed on most peripheral blood B lymphocytes, T lymphocytes, monocytes and granulocytes; it is also present on a subset of NK cells and certain hematopoietic malignant cells.
Predicted Reactive Species	Primate
Isotype	Mouse IgG1
Form	Liquid
Concentration	1 mg/ml
Purification	Purified by protein-A affinity chromatography.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.

If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.

Some PubMed article(s) citing the expression level of this target are as follows:

Boster Bio's internal QC testing used:

Flow cytometry: 1-4 ug/ml.

Anti-Bov CD62L Purified SELL Monoclonal Antibody (M00652) Images




Figure 1. Immunocytochemistry staining of SELL using Anti-Bov CD62L Purified SELL Monoclonal Antibody (M00652).

Immunocytochemistry staining of acetone/methanol fixed bovine peripheral blood (lymphocyte-enriched suspension) using anti-bovine CD62L (IVA94); secondary antibody conjugated to FITC (green)

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Bov CD62L Purified SELL Monoclonal Antibody