

Anti-Apolipoprotein A I APOA1 Antibody Picoband™ (monoclonal, 17G5)

Catalog Number: M00717-1

About APOA1

Apolipoprotein A-1, also known as APOA1, is a human protein with a specific role in lipid metabolism. It binds to lipopolysaccharide or endotoxin, and has a major role in the anti-endotoxin function of HDL. The gene is mapped to 11q23. And it is a single polypeptide chain with 243 amino acid residues of known primary amino acid sequence. The ApoA-I protein promotes cholesterol efflux from tissues to the liver for excretion. It is a cofactor for lecithin cholesterolacyltransferase (LCAT) which is responsible for the formation of most plasma cholesteryl esters. ApoA-I is also isolated as a prostacyclin (PGI₂) stabilizing factor, and thus may have an anticlotting effect. Defects in the gene encoding it are associated with HDL deficiencies, including Tangier disease, and with systemic non-neuropathic amyloidosis. Additionally, ApoA-I overexpression promotes macrophage-specific reverse cholesterol transport.

Overview

Product Name	Anti-Apolipoprotein A I APOA1 Antibody Picoband™ (monoclonal, 17G5)
Reactive Species	Human
Description	Boster Bio Anti-Apolipoprotein A I APOA1 Antibody Picoband™ (monoclonal, 17G5) catalog # M00717-1. Tested in ELISA applications. This antibody reacts with Human.
Application	ELISA
Clonality	Monoclonal 17G5
Formulation	Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg NaN ₃ .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Mouse
Uniprot ID	P02647

Technical Details

Immunogen	E. coli-derived mouse Apolipoprotein A I recombinant protein (Position: D25-Q264). Mouse Apolipoprotein A I shares 64% and 68.6% amino acid (aa) sequence identity with human and rat Apolipoprotein A I, respectively.
Predicted Reactive Species	Hepatitis Virus
Recommended Detection Systems	Boster provides a series of assays reacted with primary antibodies.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Mouse IgG1

Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: ELISA (Cap), 1-5ug/ml

1 Publications Citing This Product

1. PubMed ID: 34103620, Xiang Y,Zheng Y,Liu S,Liu G,Li Z,Dong W.Comparison of the sensitivity of Western blotting between PVDF and NC membranes.Sci Rep.2021 Jun 8;11(1):12022.doi:10.1038/s41598-021-91521-8.PMID:34103620;PMCID:PMC8187435.

Visit bosterbio.com/anti-apolipoprotein-picoband-trade-antibody-monoclonal-m00717-1-boster.html to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Apolipoprotein A I APOA1 Antibody (monoclonal, 17G5)