

Anti-BID Mouse Monoclonal Antibody [Clone ID: OTI3E9]

Catalog Number: M00730-2


Overview

Product Name	Anti-BID Mouse Monoclonal Antibody [Clone ID: OTI3E9]
Reactive Species	Human, Monkey, Mouse
Description	Boster Bio BID mouse monoclonal antibody, clone OTI3E9 (formerly 3E9). Catalog# M00730-2. Tested in IF, IHC, WB. This antibody reacts with Human, Monkey, Mouse.
Conjugate	Unconjugated
Application	IF, IHC, WB
Clonality	Monoclonal OTI3E9
Formulation	PBS (pH 7.3) containing 1% stabilizing protein, 50% glycerol and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Mouse
Uniprot ID	P55957


Technical Details

Immunogen	Full length human recombinant protein of human BID (NP_001187) produced in HEK293T cell.
Isotype	IgG2a
Concentration	1 mg/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Suggested Dilutions	WB 1:400~4000 IHC 1:150 IF 1:100


Anti-BID Mouse Monoclonal Antibody [Clone ID: OTI3E9] (M00730-2) Images




Anti-BID mouse monoclonal antibody (M00730-2) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY BID.




Immunofluorescent staining of HeLa cells using anti-BID mouse monoclonal antibody (M00730-2).



Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-BID mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer)




Immunohistochemical staining of paraffin-embedded Human breast tissue within the normal limits using anti-BID mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer)




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human breast tissue using anti-BID mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer)

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY BID (Right lane) cDNA



for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-BID.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-BID monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-BID Mouse Monoclonal Antibody [Clone ID: OTI3E9]

For Research Use Only. Not for use in diagnostic procedures.