

Anti-KAT13A / SRC1 Monoclonal Antibody

Catalog Number: M00856

Overview

| Product Name | Anti-KAT13A / SRC1 Monoclonal Antibody |
|----------------------|--|
| Reactive Species | Human |
| Description | Boster Bio Anti-KAT13A / SRC1 Monoclonal Antibody catalog # M00856. Tested in WB, IHC, IP applications. This antibody reacts with Human. |
| Application | IP, IHC, WB |
| Clonality | Monoclonal AEHD-14 |
| Formulation | Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA. |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Uniprot ID | Q15788 |

Technical Details

| Immunogen | A synthesized peptide derived from human KAT13A / SRC1 Nuclear receptor coactivator that directly binds nuclear receptors and stimulates the transcriptional activities in a hormone-dependent fashion. Involved in the coactivation of different nuclear receptors, such as for steroids (PGR, GR and ER), retinoids (RXRs), thyroid hormone (TRs) and prostanoids (PPARs). |
|---------------------|--|
| Isotype | Rabbit IgG |
| Form | Liquid |
| Concentration | Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure. |
| Purification | Affinity-chromatography |
| Suggested Dilutions | Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB 1:500-1:2000 IHC 1:50-1:200 IP 1:50 |












Anti-KAT13A / SRC1 Monoclonal Antibody (M00856) Images




All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Immunofluorescent analysis using the Antibody at 1:50 dilution.



Western blot analysis of KAT13A / SRC1 expression in HEK293 cell lysate.



Immunofluorescent analysis using the Antibody at 1:50 dilution.

Submit a product review to Biocompare.com







Anti-KAT13A / SRC1 Monoclonal Antibody