

Anti-ZO-1/TJP1 Antibody (Monoclonal, 34T61)

Catalog Number: M00860-3

About TJP1

Tight junction protein ZO-1 is a protein that in humans is encoded by the TJP1 gene. It is mapped to 15q13.1. This gene encodes a protein located on a cytoplasmic membrane surface of intercellular tight junctions. The encoded protein may be involved in signal transduction at cell-cell junctions. It has been found that injected CagA associates with the epithelial tight-junction scaffolding protein TJP1 and the transmembrane protein junctional adhesion molecule, causing an ectopic assembly of tight junction components at sites of bacterial attachment, and altering the composition and function of the apical-junctional complex.

Overview


Product Name	Anti-ZO-1/TJP1 Antibody (Monoclonal, 34T61)
Reactive Species	Human, Monkey, Mouse, Rat
Description	Boster Bio Anti-ZO-1/TJP1 Antibody (Monoclonal, 34T61) catalog # M00860-3. Tested in WB, IHC, ICC/IF applications. This antibody reacts with Human, Mouse, Rat, Monkey.
Application	IF, IHC, ICC, WB
Clonality	Monoclonal 34T61
Formulation	Rabbit IgG in stabilizing components, phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q07157

Technical Details

Immunogen	Recombinant protein within human ZO1 aa 1403-1746.
Form	Liquid
Concentration	500 ug/ml
Purification	Protein A affinity purified.
Suggested Dilutions	Western blot, 1:500-2000 Immunohistochemistry, 1:50-200

Immunocytochemistry/Immunofluorescence, 1:50-200

Anti-ZO-1/TJP1 Antibody (Monoclonal, 34T61) (M00860-3) Images



Western blot analysis of ZO-1/TJP1 using anti-ZO-1/TJP1 antibody (M00860-3). Electrophoresis was performed on a 8% SDS-PAGE gel at 80V (Stacking gel) / 120V (Resolving gel) for 2 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: rat C6 whole cell lysates, Lane 2: mouse HEPA1-6 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-ZO-1/TJP1 antigen affinity purified monoclonal antibody (M00860-3) at 1:500 overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an ECL Plus Western Blotting Substrate (Catalog # AR1196-200) with Tanon 5200 system. A specific band was detected for ZO-1/TJP1 at approximately 240 kDa. The expected band size for ZO-1/TJP1 is at 195 kDa.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-ZO-1/TJP1 Antibody (Monoclonal, 34T61)

For Research Use Only. Not for use in diagnostic procedures.