BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-PAX8 Antibody (Center)

Catalog Number: M00943-1

About PAX8

Transcription factor for the thyroid-specific expression of the genes exclusively expressed in the thyroid cell type, maintaining the functional differentiation of such cells.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-PAX8 Antibody (Center)
Reactive Species	Human
Description	Boster Bio Anti-PAX8 Antibody (Center) (Catalog # M00943-1). Tested in WB application(s). This antibody reacts with Human.
Application	WB
Clonality	Monoclonal 2131CT616.27.1
Formulation	Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Mouse
Uniprot ID	Q06710

Technical Details


Immunogen	This PAX8 antibody is generated from a mouse immunized with a recombiant protein from human PAX8.
Predicted Reactive Species	Human
Isotype	IgG1,kappa
Purification	This antibody is purified through a protein G column, followed by dialysis against PBS.
Suggested Dilutions	WB: 1:4000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

	Tested Species: In-house tested species with positive results. Other applications have not been tested. Optimal dilutions should be determined by end users.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-PAX8 Antibody (Center) (M00943-1) Images



All lanes : Anti-PAX8 Antibody (Center) at 1:4000 dilutionLane 1: HeLa whole cell lysateLane 2: Raji whole cell lysateLane 3: SK-OV-3 whole cell lysateLysates/proteins at 20 µg per lane. SecondaryGoat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 48 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-PAX8 Antibody (Center)

For Research Use Only. Not for use in diagnostic procedures.