

Anti-EDNRB Antibody Picoband™ (monoclonal, 15C3)

Catalog Number: M01041-1

About EDNRB

Endothelin receptor type B, also known as ETB is a protein that in humans is encoded by the EDNRB gene. The protein encoded by this gene is a G protein-coupled receptor which activates a phosphatidylinositol-calcium second messenger system. Its ligand, endothelin, consists of a family of three potent vasoactive peptides: ET1, ET2, and ET3. Studies suggest that the multigenic disorder, Hirschsprung disease type 2, is due to mutations in the endothelin receptor type B gene. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Overview

Product Name	Anti-EDNRB Antibody Picoband™ (monoclonal, 15C3)
Reactive Species	Human
Description	Boster Bio Anti-EDNRB Antibody Picoband™ (monoclonal, 15C3) catalog # M01041-1. Tested in WB applications. This antibody reacts with Human.
Application	WB
Clonality	Monoclonal 15C3
Formulation	Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Mouse
Uniprot ID	P24530

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human EDNRB, different from the related mouse and rat sequences by one amino acid.
Predicted Reactive Species	Hepatitis Virus
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Mouse IgG (EK1001) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Mouse IgG2b
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.

Purification	Immunogen affinity purified.
Suggested Dilutions	<p>Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.</p> <p>If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.</p> <p>Some PubMed article(s) citing the expression level of this target are as follows:</p> <p>Boster Bio's internal QC testing used:</p> <p>Western blot, 0.1-0.5ug/ml</p>

Anti-EDNRB Antibody Picoband™ (monoclonal, 15C3) (M01041-1) Images




Figure 1. Western blot analysis of EDNRB using anti-EDNRB antibody (M01041-1).

Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 50ug of sample under reducing conditions.

Lane 1: human placenta tissue lysates,

Lane 2: human CACO-2 whole cell lysates,

Lane 3: human SW620 whole cell lysates,

Lane 4: human HepG2 whole cell lysates.

After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes.

Blocked the membrane with 5% Non-fat Milk/ TBS for 1.5 hour at RT. The membrane was incubated with mouse anti-EDNRB antigen affinity purified monoclonal antibody

(Catalog # M01041-1) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each

and probed with a goat anti-mouse IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent

detection (ECL) kit (Catalog # EK1001) with Tanon 5200 system. A specific band was detected for EDNRB at approximately 45KD. The expected band size for EDNRB is at 45KD.

1 Publications Citing This Product

1. PubMed ID: 10.1080/03079457.2013.821568, Expression of endothelin-1 and its receptors in the lungs of broiler chickens exposed to high-altitude hypoxia

Visit bosterbio.com/anti-ednrb-picoband-trade-antibody-monoclonal-m01041-1-boster.html to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-EDNRB Antibody (monoclonal, 15C3)