BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-CD63 Rabbit Monoclonal Antibody

Catalog Number: M01080-1

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-CD63 Rabbit Monoclonal Antibody
Reactive Species	Human
Description	Boster Bio Anti-CD63 Rabbit Monoclonal Antibody catalog # M01080-1. Tested in WB, IHC applications. This antibody reacts with Human.
Application	IHC, WB
Clonality	Monoclonal BGG-3
Formulation	Rabbit IgG in stabilizing components, phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P08962

Technical Details


Immunogen	A synthesized peptide derived from human CD63
Isotype	Rabbit IgG
Form	Liquid
Concentration	0.5mg/ml
Purification	Affinity-chromatography
Suggested Dilutions	WB, 1:500-2000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


	IHC, 1:50-200 ICC/IF, 1:50-200

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


Anti-CD63 Rabbit Monoclonal Antibody (M01080-1) Images




All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.



Western blot analysis of CD63 expression in A375 cell lysate.




Immunofluorescent analysis using the Antibody at 1:50 dilution.



Immunohistochemical analysis of paraffin-embedded human spleen, using CD63 Antibody .

Immunofluorescent analysis using the Antibody at 1:50 dilution.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com



4 Publications Citing This Product

1. PubMed ID: 31507456, Zhu X,Wang S,Tarique I,An T,Yang H,Bai X,Wang X,Chen Q,Yang P.Cellular Evidence and Source of Exosomes in the Biliary System of the Chinese Soft-Shelled Turtle, Pelodiscus sinensis.Front Physiol.2019 Aug 27;10: 1097.doi:10.3389/fphys.2019.01097.PMID:31507456;PMCID: PMC 6718451.

2. PubMed ID: 33893878, Huang C,Pan L,Shen X,Tian H,Guo L,Zhang Z,Liu X.Hsp16.3 of mycobacterium tuberculosis in exosomes as a biomarker of tuberculosis.Eur J Clin Microbiol Infect Dis.2021 Apr 24.doi:10.1007/s10096-021-04246-x.Epub ahead of print.PMID:33893878.

3. PubMed ID: 22728711, Du Hy, Dong Lh, Zhao Bj, Fu J, Wang Qq, Chen F, Ou L, Li N, Sun X, Tang Zm, Song Hf. Acta Pharmacol Sin. 2012 Aug;33(8):1047-54. Doi: 10.1038/Aps.2012.54. Epub 2012 Jun 25. Immunostimulatory And Anti-Neoplasm Effects Of A Novel Palindrome Cpg Olig...

Visit bosterbio.com/anti-cd63-rabbit-monoclonal-antibody-m01080-1-boster.html to see all 4 publications.

For Research Use Only. Not for use in diagnostic procedures.