

## Anti-Cytokeratin 18 KRT18 Antibody Picoband®(monoclonal, 716) Fluoro488 Conjugated

Catalog Number: M01357-4-Fluoro488

### About KRT18

Keratin 18, mapped to 12q13.13, is a type I cytokeratin. It is, together with its filament partner keratin 8, perhaps the most commonly found products of the intermediate filament gene family. They are expressed in single layer epithelial tissues of the body. Mutations in this gene have been linked to cryptogenic cirrhosis. Two transcript variants encoding the same protein have been found for this gene.

### Overview

Product Name	Anti-Cytokeratin 18 KRT18 Antibody Picoband®(monoclonal, 716) Fluoro488 Conjugated
Reactive Species	Human
Application	Recommended applications are based on the parent unconjugated antibody (Flow Cytometry, IF, IHC, IHC-F, ICC, WB). Customers may select suitable applications according to their experimental needs.
Clonality	Monoclonal 716
Formulation	Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na <sub>2</sub> HPO <sub>4</sub> , 0.02% NaN <sub>3</sub> .
Storage Instructions	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light.
Host	Mouse
Uniprot ID	P05783

### Technical Details

Immunogen	E.coli-derived human Cytokeratin 18 recombinant protein (Position: E204-H430). Human Cytokeratin 18 shares 87.7% and 85.9% amino acid (aa) sequence identity with mouse and rat Cytokeratin 18, respectively.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Mouse IgG1
Form	Liquid
Concentration	0.5 mg/mL
Purification	Immunogen affinity purified.
Conjugate	Fluoro488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm

Suggested Dilutions

Optimal dilutions should be determined by end users.

## 2 Publications Citing This Product

1. PubMed ID: 31156617, Wei Z,Wang J,Wang Y,Wang C,Liu X,Han Z,Fu Y,Yang Z.Effects of Neutrophil Extracellular Traps on Bovine Mammary Epithelial Cells in vitro.Front Immunol.2019 May 17;10:1003.doi:10.3389/fimmu.2019.01003.PMID:31156617;PMCID:PMC6533846.

2. PubMed ID: 33069797, Shi R,Liu L,Wang F,He Y,Niu Y,Wang C,Zhang X,Zhang X,Zhang H,Chen M,Wang Y.Downregulation of cytokeratin 18 induces cellular partial EMT and stemness through increasing EpCAM expression in breast cancer.Cell Signal.2020 Dec;76:109810.doi:10.1016/j.cellsig

Visit [bosterbio.com/anti-cytokeratin-18-picoband-trade-antibody-monoclonal-m01357-4-boster.html](https://bosterbio.com/anti-cytokeratin-18-picoband-trade-antibody-monoclonal-m01357-4-boster.html) to see all 2 publications.

## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Cytokeratin 18 KRT18 Antibody (monoclonal, 7I6) - Fluoro488

For Research Use Only. Not for use in diagnostic procedures.