BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-ETV1 Antibody (C-Term)

Catalog Number: M01383-1

About ETV1

Transcriptional activator that binds to DNA sequences containing the consensus pentanucleotide 5'-CGGA[AT]-3'.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-ETV1 Antibody (C-Term)
Reactive Species	Human, Mouse
Description	Boster Bio Anti-ETV1 Antibody (C-Term) (Catalog # M01383-1). Tested in WB application(s). This antibody reacts with Human, Mouse.
Application	WB
Clonality	Polyclonal
Formulation	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P50549

Technical Details


Immunogen	This ETV1 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 434-465 amino acids from human ETV1.
Predicted Reactive Species	Bovine, Chicken, Horse, Monkey, Pig, Sheep, Xenopus
Isotype	Rabbit IgG
Purification	This antibody is purified through a protein A column, followed by peptide affinity purification.
Suggested Dilutions	WB: 1:2000 Tested Species: In-house tested species with positive results. Other applications have not been tested. Optimal dilutions

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

	should be determined by end users.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-ETV1 Antibody (C-Term) (M01383-1) Images



All lanes : Anti-ETV1 Antibody (C-Term) at 1:2000 dilutionLane 1: Hela whole cell lysatesLane 2: HT-29 whole cell lysatesLane 3: human testis lysatesLane 4: mouse heart lysatesLane 5: human brain lysatesLane 6: human lung lysatesLane 7: mouse kidney lysates Lysates/proteins at 20 µg per lane. SecondaryGoat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilutionPredicted band size : 55 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-ETV1 Antibody (C-Term)

For Research Use Only. Not for use in diagnostic procedures.