BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-GSTA1 Antibody

Catalog Number: M01462

About GSTA1

Conjugation of reduced glutathione to a wide number of exogenous and endogenous hydrophobic electrophiles.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-GSTA1 Antibody
Reactive Species	Human, Rat
Description	Boster Bio Anti-GSTA1 Antibody (Catalog # M01462). Tested in WB application(s). This antibody reacts with Human, Rat.
Application	WB
Clonality	Monoclonal 2128CT386.77.4
Formulation	Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Mouse
Uniprot ID	P08263

Technical Details


Immunogen	This GSTA1 antibody is generated from a mouse immunized with a recombiant protein from the human region of human GSTA1.
Predicted Reactive Species	Human
Isotype	IgG1,kappa
Purification	This antibody is purified through a protein G column, followed by dialysis against PBS.
Suggested Dilutions	WB: 1:5000 Tested Species: In-house tested species with positive results. Other applications have not been tested. Optimal dilutions

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

	should be determined by end users.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-GSTA1 Antibody (M01462) Images



All lanes : Anti-GSTA1 Antibody at 1:5000 dilutionLane 1: HepG2 whole cell lysateLane 2: Caco2 whole cell lysateLane 3: LNCap whole cell lysateLane 4: Rat liver tissue lysateLysates/proteins at 20 µg per lane. SecondaryGoat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 26 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-GSTA1 Antibody

For Research Use Only. Not for use in diagnostic procedures.