

Anti-METTL3 Mouse Monoclonal Antibody [Clone ID: OTI1B7]

Catalog Number: M01758


Overview

Product Name	Anti-METTL3 Mouse Monoclonal Antibody [Clone ID: OTI1B7]
Reactive Species	Human, Mouse, Rat
Description	Boster Bio METTL3 mouse monoclonal antibody, clone OTI1B7. Catalog# M01758. Tested in WB. This antibody reacts with Human, Mouse, Rat.
Application	WB
Clonality	Monoclonal OTI1B7
Formulation	PBS (pH 7.3) containing 1% stabilizing protein, 50% glycerol and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C as received.
Host	Mouse
Uniprot ID	Q86U44


Technical Details

Immunogen	Human recombinant protein fragment corresponding to amino acids 1-284 of human METTL3 (NP_062826) produced in E.coli.
Isotype	IgG1
Concentration	1 mg/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Suggested Dilutions	WB: 1:500~2000

Anti-METTTL3 Mouse Monoclonal Antibody [Clone ID: OTI1B7] (M01758) Images



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY METTTL3 cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-METTTL3 (1:2000).



Western blot analysis of extracts (35ug) from 6 different cell lines and 3 different tissue lysates by using anti-METTTL3 monoclonal antibody (1:500).

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-METTTL3 Mouse Monoclonal Antibody [Clone ID: OTI1B7]

For Research Use Only. Not for use in diagnostic procedures.