BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-GOLGA5 Antibody

Catalog Number: M02176

About GOLGA5

Involved in maintaining Golgi structure. Stimulates the formation of Golgi stacks and ribbons. Involved in intra-Golgi retrograde transport.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-GOLGA5 Antibody
Reactive Species	Human
Description	Boster Bio Anti-GOLGA5 Antibody (Catalog # M02176). Tested in WB application(s). This antibody reacts with Human.
Application	WB
Clonality	Monoclonal 1720CT766.40.46
Formulation	Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Mouse
Uniprot ID	Q8TBA6

Technical Details


Immunogen	This GOLGA5 antibody is generated from a mouse immunized with a recombinant protein between 1-300 amino acids from human GOLGA5.
Predicted Reactive Species	Bovine
Isotype	IgG1,k
Purification	This antibody is purified through a protein G column, followed by dialysis against PBS.
Suggested Dilutions	WB: 1:2000 Tested Species: In-house tested species with positive results. Other applications have not been tested. Optimal dilutions

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

	should be determined by end users.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-GOLGA5 Antibody (M02176) Images



All lanes : Anti-GOLGA5 Antibody at 1:2000 dilutionLane 1: K562 whole cell lysateLane 2: HepG2 whole cell lysateLane 3: A431 whole cell lysateLysates/proteins at 20 µg per lane. SecondaryGoat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 83 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-GOLGA5 Antibody

For Research Use Only. Not for use in diagnostic procedures.