

Anti-PC4/SUB1 Antibody Picoband® (monoclonal, 2D13E3) APC Conjugated

Catalog Number: M02698-1-APC

About SUB1

Activated RNA polymerase II transcriptional coactivator p15, also known as positive cofactor 4 (PC4) or SUB1 homolog, is a protein that in humans is encoded by the SUB1 gene. This gene is mapped to 5p13.3. The transcriptional cofactor PC4 is an ancient single-strand DNA (ssDNA)-binding protein that has a homologue in bacteriophage T5 where it is likely the elusive replicative ssDNA-binding protein. The recombinant PC4 is shown to function identically to the native protein through its interaction with TAFs.

Overview

Product Name	Anti-PC4/SUB1 Antibody Picoband® (monoclonal, 2D13E3) APC Conjugated
Reactive Species	Human
Application	Flow Cytometry
Clonality	Monoclonal 2D13E3
Formulation	Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na ₂ HPO ₄ , 0.02% NaN ₃ .
Storage Instructions	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light.
Host	Mouse
Uniprot ID	P53999

Technical Details

Immunogen	E.coli-derived human PC4/SUB1 recombinant protein (Position: N62-L127).
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Mouse IgG2b
Form	Liquid
Concentration	0.5 mg/mL
Purification	Immunogen affinity purified.
Conjugate	APC Excitation Wavelength: 633-647 nm Emission Wavelength: 660 nm
Suggested Dilutions	Flow Cytometry, Optimal dilutions should be determined by end users.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-PC4/SUB1 Antibody (monoclonal, 2D13E3) - APC

For Research Use Only. Not for use in diagnostic procedures.