

Anti-LAG3 Antibody (Monoclonal, 34L67)

Catalog Number: M02869-10

About Lag3

Lymphocyte-activation protein 3 belongs to Ig superfamily and contains 4 extracellular Ig-like domains. The LAG3 gene contains 8 exons. The sequence data, exon/intron organization, and chromosomal localization all indicate a close relationship of LAG3 to CD4. [provided by RefSeq, Jul 2008]

Overview

Product Name	Anti-LAG3 Antibody (Monoclonal, 34L67)
Reactive Species	Mouse
Description	Boster Bio Anti-LAG3 Antibody (Monoclonal, 34L67) catalog # M02869-10. Tested in WB, ICC/IF applications. This antibody reacts with Mouse.
Application	IF, ICC, WB
Clonality	Monoclonal 34L67
Formulation	Rabbit IgG in stabilizing components, phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q61790

Technical Details

Immunogen	Recombinant protein within Human LAG-3 aa 3-498.
Form	Liquid
Concentration	500 ug/ml
Purification	Protein A affinity purified.
Suggested Dilutions	Western blot, 1:500-2000 Immunocytochemistry/Immunofluorescence, 1:50-200

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-LAG3 Antibody (Monoclonal, 34L67)

For Research Use Only. Not for use in diagnostic procedures.