BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-DCLK1 Antibody

Catalog Number: M03089-1

About DCLK1

Probable kinase that may be involved in a calcium- signaling pathway controlling neuronal migration in the developing brain. May also participate in functions of the mature nervous system.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-DCLK1 Antibody
Reactive Species	Human, Mouse
Description	Boster Bio Anti-DCLK1 Antibody (Catalog # M03089-1). Tested in WB application(s). This antibody reacts with Human, Mouse.
Application	WB
Clonality	Monoclonal 1751CT665.1.72
Formulation	Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Mouse
Uniprot ID	O15075


Technical Details

Immunogen	This DCLK1 antibody is generated from a mouse immunized with a recombinant protein of human DCLK1.
Predicted Reactive Species	Bovine
Isotype	IgG1,k
Purification	This antibody is purified through a protein G column, followed by dialysis against PBS.
Suggested Dilutions	WB: 1:4000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-DCLK1 Antibody (M03089-1) Images



All lanes : Anti-DCLK1 Antibody at 1:4000 dilutionLane 1: human brain lysateLane 2: mouse brain lysateLane 3: TT whole cell lysateLysates/proteins at 20 µg per lane. SecondaryGoat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 82 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-DCLK1 Antibody

For Research Use Only. Not for use in diagnostic procedures.