

Anti-Hsp40 (DNAJB1) Mouse Monoclonal Antibody [Clone ID: OTI1E9]

Catalog Number: M03100


Overview

Product Name	Anti-Hsp40 (DNAJB1) Mouse Monoclonal Antibody [Clone ID: OTI1E9]
Reactive Species	Human, Mouse, Rat
Description	Boster Bio DNAJB1 (Hsp40) mouse monoclonal antibody, clone OTI1E9 (formerly 1E9). Catalog# M03100. Tested in FC, IF, IHC, WB. This antibody reacts with Human, Mouse, Rat.
Application	Flow Cytometry, IF, IHC, WB
Clonality	Monoclonal OTI1E9
Formulation	PBS (pH 7.3) containing 1% stabilizing protein, 50% glycerol and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C as received.
Host	Mouse
Uniprot ID	P25685


Technical Details

Immunogen	Full length human recombinant protein of human DNAJB1 (NP_006136) produced in HEK293T cell.
Isotype	IgG2a
Concentration	0.92 mg/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Suggested Dilutions	WB: 1:1000~2000 IHC: 1:150 IF: 1:100 Flow cytometry: 1:100


Anti-Hsp40 (DNAJB1) Mouse Monoclonal Antibody [Clone ID: OTI1E9] (M03100) Images




Western blot analysis of DNAJB1 using anti-DNAJB1 antibody (M03100). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human 293T whole cell lysates, Lane 2: human HepG2 whole cell lysates, Lane 3: human U251 whole cell lysates, Lane 4: human PC-3 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with mouse anti-DNAJB1 antigen affinity purified monoclonal antibody (Catalog # M03100) at at 1:1000 overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-mouse IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1001) with Tanon 5200 system. A specific band was detected for DNAJB1 at approximately 38 kDa. The expected band size for DNAJB1 is at 38 kDa.




Flow cytometric Analysis of HeLa cells




Western blot analysis of extracts (10ug) from HeLa cell line by using anti-DNAJB1 monoclonal antibody (1:200).



HEK293T cells transfected with either DNAJB1 (Myc-DDK-tagged) overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-DNAJB1 antibody (M03100)



Immunohistochemical staining of paraffin-embedded Carcinoma of Human bladder tissue using anti-DNAJB1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer)



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-DNAJB1 monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human) (1:100).

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Hsp40 (DNAJB1) Mouse Monoclonal Antibody [Clone ID: OT11E9]

For Research Use Only. Not for use in diagnostic procedures.