

Anti-PI3 Kinase p85 beta PIK3R2 Monoclonal Antibody

Catalog Number: M03363-1

About PIK3R2

Anti Mesothelin Antibody recognizes Mesothelin that is a glycosyl-phosphatidylinositol–anchored glycoprotein present on the cell surface of various human solid tumors. The mesothelin (MSLN) gene encodes a 71-kDa precursor protein that is processed to a 40-kDa glycosylphosphatidylinositol–anchored protein that composes the mature portion and an NH2 terminal 31-kDa fragment called megakaryocyte-potentiating factor that is released from the cell. Mesothelin is a tumor differentiation antigen present at low levels on a restricted set of normal adult tissues, such as mesothelium, but aberrantly over expressed in mesotheliomas, ovarian, and pancreatic cancers. The biological functions of mesothelin remain elusive. A recent study showed that mesothelin binds to MUC16/CA125, and that this interaction mediates cell adhesion, suggesting that there may be an important role for MUC16/CA125 and mesothelin in the metastatic spread of ovarian cancer.

Overview

Product Name	Anti-PI3 Kinase p85 beta PIK3R2 Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-PI3 Kinase p85 beta PIK3R2 Monoclonal Antibody catalog # M03363-1. Tested in ELISA, WB applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, WB
Clonality	Monoclonal 8D9-D5-F8
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Mouse
Uniprot ID	O00459

Technical Details

Immunogen	Purified recombinant human PI3 Kinase p85 beta protein fragments expressed in E.coli.
Predicted Reactive Species	Chimpanzee, Macaque
Cross Reactivity	No cross reactivity with other proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml





BOSTER
antibody and ELISA experts

Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitopespecific immunogen.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB 1:500-2000 ELISA 1:10000-20000



Anti-PI3 Kinase p85 beta PIK3R2 Monoclonal Antibody (M03363-1) Images




Figure 1. Western blotting validation for Anti-PI3 Kinase p85 beta PIK3R2 Monoclonal Antibody M03363-1

Western blot detection of PI3 Kinase p85 beta in C6

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-PI3 Kinase p85 beta PIK3R2 Monoclonal Antibody