

## Anti-CK16 KRT16 Monoclonal Antibody

Catalog Number: M03393-1


### Overview

Product Name	Anti-CK16 KRT16 Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-CK16 KRT16 Monoclonal Antibody catalog # M03393-1. Tested in IHC applications. This antibody reacts with Human, Mouse, Rat.
Application	IF, IHC
Clonality	Monoclonal 6F6
Formulation	Liquid in PBS containing 50% glycerol, 0.5% stabilizing protein and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Mouse
Uniprot ID	P08779


### Technical Details

Immunogen	Synthetic Peptide of CK16
Cross Reactivity	No cross reactivity with other proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Suggested Dilutions	IHC 1:50-200 IF 1:50-200


## Anti-CK16 KRT16 Monoclonal Antibody (M03393-1) Images




Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1).  
Immunohistochemistry (IHC) staining of human gullet cancer tissue




Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1).  
Immunohistochemical analysis of human-colon tissue. Anti-CK16 at 1:200 (4°C)



Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1).  
Immunohistochemical analysis of human liver cancer tissue. Anti-CK16 at 1:200 (4°C)




Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1).  
Immunohistochemical analysis of human liver tissue. Anti-CK16 at 1:200 (4°C)




Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1).  
Immunohistochemical analysis of human lung cancer tissue. Anti-CK16 at 1:200 (4°C)


Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1).  
Immunohistochemical analysis of human lung tissue. Anti-CK16 at 1:200 (4°C)




Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1). Immunohistochemical analysis of human stomach cancer tissue. Anti-CK16 at 1:200 (4°C)




Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1). Immunohistochemical analysis of human stomach tissue. M03393-1 was diluted at 1:200 (4°C)




Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1). Immunohistochemical analysis of human tonsil tissue. M03393-1 was diluted at 1:200 (4°C)



Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1). Immunohistochemical analysis of rat kidney tissue. M03393-1 was diluted at 1:200 (4°C)



Immunohistochemistry validation of KRT16 using Anti-CK16 KRT16 Monoclonal Antibody (M03393-1). Immunohistochemical analysis of rat lung tissue. M03393-1 was diluted at 1:200 (4°C)



## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-CK16 KRT16 Monoclonal Antibody

For Research Use Only. Not for use in diagnostic procedures.