

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Kindlin 2 (FERMT2) Mouse Monoclonal Antibody [Clone ID: OTI9E4]

Catalog Number: M03653

Overview

Product Name	Anti-Kindlin 2 (FERMT2) Mouse Monoclonal Antibody [Clone ID: OTI9E4]
Reactive Species	Dog, Human, Monkey, Mouse, Rat
Description	Boster Bio Anti-FERMT2 mouse monoclonal antibody, clone OTI9E4 (formerly 9E4). Catalog# M03653. Tested in IF, IHC, IP, WB. This antibody reacts with Human, Monkey, Mouse, Rat, Dog.
Application	IP, IF, IHC, WB
Clonality	Monoclonal OTI9E4
Formulation	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Storage Instructions	Store at -20°C as received.
Host	Mouse
Uniprot ID	Q96AC1


Technical Details

Immunogen	Full-length protein expressed in 293T cell transfected with human FERMT2 expression vector
Isotype	lgG2a
Concentration	1 mg/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows:




888-466-3604 | support@bosterbio.com | www.bosterbio.com


Anti-Kindlin 2 (FERMT2) Mouse Monoclonal Antibody [Clone ID: OTI9E4] (M03653) Images




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY FERMT2 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-FERMT2.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-FERMT2 monoclonal antibody.



Immunohistochemical staining of paraffin-embedded Carcinoma of Human lung tissue using anti-FERMT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer



Immunohistochemical staining of paraffin-embedded Human Ovary tissue within the normal limits using anti-FERMT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-FERMT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer



BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566


888-466-3604 | support@bosterbio.com | www.bosterbio.com




Immunohistochemical staining of paraffin-embedded Human endometrium tissue within the normal limits using anti-FERMT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer

Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-FERMT2 mouse monoclonal antibody. (Heat-induced epitope retrieval


by 10mM citric buffer



Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human breast tissue using anti-FERMT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer



Immunohistochemical staining of paraffin-embedded Human colon tissue within the normal limits using anti-FERMT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer





Immunohistochemical staining of paraffin-embedded Carcinoma of Human kidney tissue using anti-FERMT2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer

Immunofluorescent staining of HepG2 cells using anti-FERMT2 mouse monoclonal antibody (M03653).



888-466-3604 | support@bosterbio.com | www.bosterbio.com





Equivalent amounts of cell lysates (10 ug per lane) of wildtype HeLa cells (WT) and FERMT2-Knockout HeLa cells (KO) were separated by SDS-PAGE and immunoblotted with anti-FERMT2 monoclonal antibody M03653 (1:1000`). Then the blotted membrane was stripped and reprobed with anti-PCNA antibody as a loading control.

Submit a product review to Biocompare.com



Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Kindlin 2 (FERMT2) Mouse Monoclonal Antibody [Clone ID: OTI9E4]