BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-PRKAR2A Antibody (C-Term)

Catalog Number: M03911-1

About PRKAR2A

Regulatory subunit of the cAMP-dependent protein kinases involved in cAMP signaling in cells. Type II regulatory chains mediate membrane association by binding to anchoring proteins, including the MAP2 kinase.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-PRKAR2A Antibody (C-Term)
Reactive Species	Human
Description	Boster Bio Anti-PRKAR2A Antibody (C-Term) (Catalog # M03911-1). Tested in WB application(s). This antibody reacts with Human.
Application	WB
Clonality	Polyclonal
Formulation	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P13861


Technical Details

Immunogen	This PRKAR2A antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 312-346 amino acids from the human region of human PRKAR2A.
Predicted Reactive Species	Bovine, Rabbit
Isotype	Rabbit IgG
Purification	This antibody is purified through a protein A column, followed by peptide affinity purification.
Suggested Dilutions	WB: 1:2000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-PRKAR2A Antibody (C-Term) (M03911-1) Images



All lanes : Anti-PRKAR2A Antibody (C-Term) at 1:2000 dilutionLane 1: K562 whole cell lysatesLane 2: SW480 whole cell lysatesLysates/proteins at 20 µg per lane. SecondaryGoat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilutionPredicted band size : 46 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-PRKAR2A Antibody (C-Term)

For Research Use Only. Not for use in diagnostic procedures.