BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-UCH37 (UCHL5) Antibody

Catalog Number: M04276

About UCHL5

Protease that specifically cleaves 'Lys-48'-linked polyubiquitin chains. Deubiquitinating enzyme associated with the 19S regulatory subunit of the 26S proteasome. Putative regulatory component of the INO80 complex; however is inactive in the INO80 complex and is activated by a transient interaction of the INO80 complex with the proteasome via ADRM1.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-UCH37 (UCHL5) Antibody
Reactive Species	Human
Description	Boster Bio Anti-UCH37 (UCHL5) Antibody (Catalog # M04276). Tested in WB application(s). This antibody reacts with Human.
Application	WB
Clonality	Monoclonal 854CT5.5.6
Formulation	Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Mouse
Uniprot ID	Q9Y5K5

Technical Details


Immunogen	Purified His-tagged UCH37 protein was used to produced this monoclonal antibody.
Predicted Reactive Species	Bovine, Rabbit
Isotype	IgG1
Purification	This antibody is purified through a protein G column, followed by dialysis against PBS.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Suggested Dilutions	WB: 1:2000-1:4000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-UCH37 (UCHL5) Antibody (M04276) Images



All lanes : Anti-UCH37 (UCHL5) at 1:2000-1:4000 dilutionLane 1: 293 whole cell lysateLane 2: NCI-H460 whole cell lysateLane 3: HeLa whole cell lysateLysates/proteins at 20 µg per lane. SecondaryGoat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 37 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-UCH37 (UCHL5) Antibody

For Research Use Only. Not for use in diagnostic procedures.