

Anti-VEGFB Rabbit Monoclonal Antibody

Catalog Number: M04494-1


Overview

| | |
|----------------------|--|
| Product Name | Anti-VEGFB Rabbit Monoclonal Antibody |
| Reactive Species | Human, Mouse |
| Description | Boster Bio Anti-VEGFB Rabbit Monoclonal Antibody catalog # M04494-1. Tested in WB application. This antibody reacts with Human, Mouse. |
| Application | WB |
| Clonality | Monoclonal 23V99 |
| Formulation | Rabbit IgG in stabilizing components, phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required. |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Uniprot ID | P49765 |

Technical Details

| | |
|---------------------|--|
| Immunogen | A synthesized peptide derived from human VEGFB |
| Isotype | IgG |
| Form | Liquid |
| Concentration | 0.5mg/ml |
| Purification | Affinity-chromatography |
| Suggested Dilutions | WB 1:500-2000 |

Anti-VEGFB Rabbit Monoclonal Antibody (M04494-1) Images



Western blot analysis of VEGFB using anti-VEGFB antibody (M04494-1). Electrophoresis was performed on a 12% SDS-PAGE gel at 80V (Stacking gel) / 120V (Resolving gel) for 2 hours. Lane 1: recombinant human VEGFB protein. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-VEGFB antigen affinity purified monoclonal antibody (M04494-1) at 1:500 overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an ECL Plus Western Blotting Substrate (Catalog # AR1196-200) with Tanon 5200 system. A specific band was detected for VEGFB at approximately 26 kDa.

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-VEGFB Rabbit Monoclonal Antibody

For Research Use Only. Not for use in diagnostic procedures.