BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Mouse Hoxb1 Antibody (C-term)

Catalog Number: M04724

About Hoxb1

Sequence-specific transcription factor which is part of a developmental regulatory system that provides cells with specific positional identities on the anterior-posterior axis. Acts on the anterior body structures.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-Mouse Hoxb1 Antibody (C-term)
Reactive Species	Human, Mouse
Description	Boster Bio Anti-Mouse Hoxb1 Antibody (C-term) (Catalog # M04724). Tested in WB application(s). This antibody reacts with Human, Mouse.
Application	WB
Clonality	Polyclonal
Formulation	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P17919


Technical Details

Immunogen	This Mouse Hoxb1 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 182-315 amino acids from the C-terminal region of Mouse Hoxb1.
Predicted Reactive Species	Bovine, Rabbit
Isotype	Rabbit IgG
Purification	This antibody is purified through a protein A column, followed by peptide affinity purification.
Suggested Dilutions	WB: 1:1000


BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Mouse Hoxb1 Antibody (C-term) (M04724) Images



Anti-Hoxb1 Antibody (C-term) at 1:2000 dilution + human skeletal muscle lysatesLysates/proteins at 20 µg per lane. SecondaryGoat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilutionPredicted band size : 32 kDaBlocking/Dilution buffer: 5% NFDM/TBST.



All lanes : Anti-Hoxb1 Antibody (C-term) at 1:1000 dilutionLane 1: mouse heart lysatesLane 2: mouse liver lysatesLysates/proteins at 20 µg per lane. SecondaryGoat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilutionPredicted band size : 32 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-Mouse Hoxb1 Antibody (C-term)

For Research Use Only. Not for use in diagnostic procedures.