

Anti-COX IV COX4I1 Antibody Picoband® (monoclonal, 4G11) PE Conjugated

Catalog Number: M05442-1-PE

About COX4I1

Cytochrome c oxidase subunit 4 isoform 1, mitochondrial is an enzyme that in humans is encoded by the COX4I1 gene. Cytochrome c oxidase (COX) is the terminal enzyme of the mitochondrial respiratory chain. It is a multi-subunit enzyme complex that couples the transfer of electrons from cytochrome c to molecular oxygen and contributes to a proton electrochemical gradient across the inner mitochondrial membrane. The complex consists of 13 mitochondrial- and nuclear-encoded subunits. The mitochondrially-encoded subunits perform the electron transfer and proton pumping activities. The functions of the nuclear-encoded subunits are unknown but they may play a role in the regulation and assembly of the complex. This gene encodes the nuclear-encoded subunit IV isoform 1 of the human mitochondrial respiratory chain enzyme. It is located at the 3' of the NOC4 (neighbor of COX4) gene in a head-to-head orientation, and shares a promoter with it. Pseudogenes related to this gene are located on chromosomes 13 and 14.

Overview

| | |
|----------------------|--|
| Product Name | Anti-COX IV COX4I1 Antibody Picoband® (monoclonal, 4G11) PE Conjugated |
| Reactive Species | Human, Mouse, Rat |
| Application | Flow Cytometry |
| Clonality | Monoclonal 4G11 |
| Formulation | Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na ₂ HPO ₄ , 0.02% Na ₃ N. |
| Storage Instructions | At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light. |
| Host | Mouse |
| Uniprot ID | P13073 |

Technical Details

| | |
|------------------|--|
| Immunogen | E. coli-derived human COX IV recombinant protein (Position: Q59-K169). |
| Cross Reactivity | No cross-reactivity with other proteins. |
| Isotype | Mouse IgG2b |
| Form | Liquid |
| Concentration | 0.5 mg/mL |
| Purification | Immunogen affinity purified. |
| Conjugate | PE |

| | |
|---------------------|--|
| | Excitation Wavelength: 566 nm Emission Wavelength: 574 nm |
| Suggested Dilutions | Flow Cytometry, Optimal dilutions should be determined by end users. |

1 Publications Citing This Product

1. PubMed ID: 10.1016/j.bbrc.2017.07.112, Hypoxic postconditioning attenuates apoptosis via inactivation of adenosine A2a receptor through NDRG3-Raf-ERK pathway

Visit bosterbio.com/anti-cox-iv-picoband-trade-antibody-monoclonal-m05442-1-boster.html to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-COX IV COX4I1 Antibody (monoclonal, 4G11) - PE

For Research Use Only. Not for use in diagnostic procedures.