

Anti-NAPSIN A (NAPSA) Mouse Monoclonal Antibody [Clone ID: OTI3E5]

Catalog Number: M05685-4


Overview

Product Name	Anti-NAPSIN A (NAPSA) Mouse Monoclonal Antibody [Clone ID: OTI3E5]
Reactive Species	Human
Description	Boster Bio NAPSA mouse monoclonal antibody, clone OTI3E5. Catalog# M05685-4. Tested in IF, IHC. This antibody reacts with Human.
Application	IF, IHC
Clonality	Monoclonal OTI3E5
Formulation	PBS (pH 7.3) containing 1% stabilizing protein, 50% glycerol and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C as received.
Host	Mouse
Uniprot ID	O96009


Technical Details

Immunogen	Human recombinant protein fragment corresponding to amino acids 64-244 of human NAPSA (NP_004842) produced in E.coli.
Isotype	IgG2b
Concentration	1 mg/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Suggested Dilutions	IHC 1:150


Anti-NAPSIN A (NAPSA) Mouse Monoclonal Antibody [Clone ID: OTI3E5] (M05685-4) Images




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-NAPSA mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min)



Immunohistochemical staining of paraffin-embedded Carcinoma of Human thyroid tissue using anti-NAPSA mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min)





Immunohistochemical staining of paraffin-embedded Carcinoma of Human prostate tissue using anti-NAPSA mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min)



Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human colon tissue using anti-NAPSA mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min)

Immunohistochemical staining of paraffin-embedded Carcinoma of Human kidney tissue using anti-NAPSA mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min)



Immunocytochemistry staining of A549 cells using anti-NAPSA mouse monoclonal antibody (M05685-4). The right is HELA cells as negative control.



Immunocytochemistry staining of TT cells using anti-NAPSA mouse monoclonal antibody (M05685-4). The right is HELA cells as negative control (1:20000).

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-NAPSIN A (NAPSA) Mouse Monoclonal Antibody [Clone ID: OTI3E5]

For Research Use Only. Not for use in diagnostic procedures.