

Anti-Rab9 RAB9A Rabbit Monoclonal Antibody

Catalog Number: M05768


Overview

| | |
|----------------------|--|
| Product Name | Anti-Rab9 RAB9A Rabbit Monoclonal Antibody |
| Reactive Species | Human, Mouse, Rat |
| Description | Boster Bio Anti-Rab9 RAB9A Rabbit Monoclonal Antibody catalog # M05768. Tested in WB, ICC/IF applications. This antibody reacts with Human, Mouse, Rat. |
| Application | IF, ICC, WB |
| Clonality | Monoclonal DIA-18 |
| Formulation | Rabbit IgG in stabilizing components, phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required. |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Uniprot ID | P51151 |

Technical Details

| | |
|---------------------|---|
| Immunogen | A synthesized peptide derived from human Rab9 |
| Isotype | Rabbit IgG |
| Form | Liquid |
| Concentration | 0.5mg/ml |
| Purification | Affinity-chromatography |
| Suggested Dilutions | WB 1:500-2000 ICC/IF 1:50-200 |

Anti-Rab9 RAB9A Rabbit Monoclonal Antibody (M05768) Images



Western blot analysis of RAB9A using anti-RAB9A antibody (M05768). Electrophoresis was performed on a 12% SDS-PAGE gel at 80V (Stacking gel) / 120V (Resolving gel) for 2 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human 293T whole cell lysates, Lane 2: human SiHa whole cell lysates, Lane 3: human HeLa whole cell lysates, Lane 4: human RT4 whole cell lysates, Lane 5: rat kidney tissue lysates, Lane 6: rat PC-12 whole cell lysates, Lane 7: mouse kidney tissue lysates, Lane 8: mouse NIH/3T3 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-RAB9A antigen affinity purified monoclonal antibody (M05768) at 1:500 overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an ECL Plus Western Blotting Substrate (Catalog # AR1196-200) with Tanon 5200 system. A specific band was detected for RAB9A at approximately 23 kDa. The expected band size for RAB9A is at 23 kDa.

1 Publications Citing This Product

1. PubMed ID: 31442368, Ji S,Dong W,Qi Y,Gao H,Zhao D,Xu M,Li T,Yu H,Sun Y,Ma R,Shi J,Gao C.Phagocytosis by endothelial cells inhibits procoagulant activity of platelets of essential thrombocythemia in vitro. *J Thromb Haemost.* 2020 Jan;18(1):222-233.doi: 10.1111/jth.14617.Epub 2

Visit bosterbio.com/anti-rab9-rabbit-monoclonal-antibody-m05768-boster.html to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Rab9 RAB9A Rabbit Monoclonal Antibody

For Research Use Only. Not for use in diagnostic procedures.