

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Carboxypeptidase A (CPA1) Mouse Monoclonal Antibody [Clone ID: OTI2E3]

Catalog Number: M05985-1

Overview

Product Name	Anti-Carboxypeptidase A (CPA1) Mouse Monoclonal Antibody [Clone ID: OTI2E3]
Reactive Species	Human
Description	Boster Bio CPA1 (Carboxypeptidase A1) mouse monoclonal antibody, clone OTI2E3 (formerly 2E3). Catalog# M05985-1. Tested in FC, IF, IHC, WB. This antibody reacts with Human.
Application	Flow Cytometry, IF, IHC, WB
Clonality	Monoclonal OTI2E3
Formulation	PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Storage Instructions	Store at -20°C as received.
Host	Mouse
Uniprot ID	P15085


Technical Details

Immunogen	Full length human recombinant protein of human CPA1 (NP_001859) produced in HEK293T cell.
Isotype	lgG2a
Concentration	0.88 mg/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows:




888-466-3604 | support@bosterbio.com | www.bosterbio.com


Anti-Carboxypeptidase A (CPA1) Mouse Monoclonal Antibody [Clone ID: OTI2E3] (M05985-1) Images




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY CPA1 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CPA1.



Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-CPA1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer



Immunohistochemical staining of paraffin-embedded Carcinoma of Human bladder tissue using anti-CPA1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer




HEK293T cells transfected with either CPA1 (Myc-DDKtagged) overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-CPA1 antibody (M05985-1)

Anti-CPA1 mouse monoclonal antibody (M05985-1) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY CPA1.



888-466-3604 | support@bosterbio.com | www.bosterbio.com



Submit a product review to Biocompare.com



\$20

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Carboxypeptidase A (CPA1) Mouse Monoclonal Antibody [Clone ID: OTI2E3]