

Anti-SEC14 like protein 2 (SEC14L2) Mouse Monoclonal Antibody [Clone ID: OTI4H2]

Catalog Number: M06211


Overview

Product Name	Anti-SEC14 like protein 2 (SEC14L2) Mouse Monoclonal Antibody [Clone ID: OTI4H2]
Reactive Species	Dog, Human, Monkey, Mouse, Rat
Description	Boster Bio SEC14L2 (SEC14-like 2) mouse monoclonal antibody, clone OTI4H2 (formerly 4H2). Catalog# M06211. Tested in FC, IF, IHC, WB. This antibody reacts with Human, Monkey, Mouse, Rat, Dog.
Application	Flow Cytometry, IF, IHC, WB
Clonality	Monoclonal OTI4H2
Formulation	PBS (pH 7.3) containing 1% stabilizing protein, 50% glycerol and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C as received.
Host	Mouse
Uniprot ID	O76054


Technical Details

Immunogen	Full length human recombinant protein of human SEC14L2 (NP_036561) produced in HEK293T cell.
Isotype	IgG1
Concentration	1 mg/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Suggested Dilutions	WB 1:500~2000 IHC 1:150 IF 1:100 Flow Cytometry 1:100


Anti-SEC14 like protein 2 (SEC14L2) Mouse Monoclonal Antibody [Clone ID: OTI4H2] (M06211) Images




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SEC14L2 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SEC14L2.




Western blot analysis of extracts (10ug) from 10 Human tissue by using anti-SEC14L2 monoclonal antibody at 1:200 (1: Testis; 2: Omentum; 3: Uterus; 4: Breast; 5: Brain; 6: Liver; 7: Ovary; 8: Thyroid gland; 9: colon;10: spleen).




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-SEC14L2 monoclonal antibody.




Immunohistochemical staining of paraffin-embedded Human prostate tissue within the normal limits using anti-SEC14L2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer)



Immunohistochemical staining of paraffin-embedded Carcinoma of Human liver tissue using anti-SEC14L2 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer)



HEK293T cells transfected with either SEC14L2 (Myc-DDK-tagged) overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-SEC14L2 antibody (M06211)



Anti-SEC14L2 mouse monoclonal antibody (M06211) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY SEC14L2.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-SEC14 like protein 2 (SEC14L2) Mouse Monoclonal Antibody [Clone ID: OTI4H2]

For Research Use Only. Not for use in diagnostic procedures.