BOSTER
antibody and ELISA experts

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-CDH17 / Cadherin-17 Reference Antibody (10C12)

Catalog Number: M06389-1

Overview

Product Name	Anti-CDH17 / Cadherin-17 Reference Antibody (10C12)
Reactive Species	Human
Description	Boster Bio Anti-CDH17 / Cadherin-17 Reference Antibody (10C12) (Catalog # M06389-1). Tested in Flow Cytometry, ELISA, FTA. This antibody reacts with Human. Endotoxin: < 0.907EU/ug,determined by LAL method. Expression system: CHO Cell
Application	ELISA, Flow Cytometry, Functional Assay, Kinetics
Clonality	Monoclonal
Formulation	Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.
Storage Instructions	Maintain refrigerated at 2–8°C for up to 2 weeks. For long-term storage, aliquot and store at -20°C to avoid repeated freeze-thaw cycles.
Uniprot ID	Q12864

Technical Details

Isotype	IgG1
Form	Liquid

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-CDH17 / Cadherin-17 Reference Antibody (10C12) (M06389-1) Images



Anti-CDH17/Cadherin-17 Reference Antibody (10C12) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-CDH17/Cadherin-17 Reference Antibody (10C12)is more than 98.15%



Immobilized human CDH17



Human CDH17 HEK293 cells were stained with Anti-CDH17/Cadherin-17 Reference Antibody (10C12) and negative control protein respectively



The endocytosis ratio 10C12 by Human CDH17 HEK293 increased with the increase of antibody concentration

10C12 inhibited the tumor growth of COLO205 on nude mice. The result showed significant anti-tumor effects

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com



Anti-CDH17 / Cadherin-17 Reference Antibody (10C12)

For Research Use Only. Not for use in diagnostic procedures.