BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-PSMA5 Antibody

Catalog Number: M07499-1

About PSMA5

The proteasome is a multicatalytic proteinase complex which is characterized by its ability to cleave peptides with Arg, Phe, Tyr, Leu, and Glu adjacent to the leaving group at neutral or slightly basic pH. The proteasome has an ATP-dependent proteolytic activity.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-PSMA5 Antibody
Reactive Species	Human
Description	Boster Bio Anti-PSMA5 Antibody (Catalog # M07499-1). Tested in WB application(s). This antibody reacts with Human.
Application	WB
Clonality	Monoclonal 426CT32.1.2
Formulation	Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Mouse
Uniprot ID	P28066


Technical Details

Immunogen	This PSMA5 antibody is generated from a mouse immunized with a recombinant protein between 1-241 amino acids from human PSMA5.
Predicted Reactive Species	Bovine, Mouse
Isotype	IgG1,k
Purification	This antibody is purified through a protein G column, followed by dialysis against PBS.
Suggested Dilutions	WB: 1:4000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-PSMA5 Antibody (M07499-1) Images



All lanes : Anti-PSMA5 Antibody at 1:4000 dilutionLane 1: HepG2 whole cell lysateLane 2: Hela whole cell lysateLane 3: PC-3 whole cell lysateLane 4: human liver lysateLysates/proteins at 20 µg per lane. SecondaryGoat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 26 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-PSMA5 Antibody

For Research Use Only. Not for use in diagnostic procedures.