BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-LRIG3 Antibody (N-Term)

Catalog Number: M10158

About LRIG3

May play a role in craniofacial and inner ear morphogenesis during embryonic development. May act within the otic vesicle epithelium to control formation of the lateral semicircular canal in the inner ear, possibly by restricting the expression of NTN1 (By similarity).

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-LRIG3 Antibody (N-Term)
Reactive Species	Human
Description	Boster Bio Anti-LRIG3 Antibody (N-Term) (Catalog # M10158). Tested in WB application(s). This antibody reacts with Human.
Application	WB
Clonality	Polyclonal
Formulation	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q6UXM1


Technical Details

Immunogen	This LRIG3 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 23-54 amino acids from human LRIG3.
Predicted Reactive Species	Bovine, Monkey, Mouse
Isotype	Rabbit IgG
Purification	This antibody is purified through a protein A column, followed by peptide affinity purification.
Suggested Dilutions	WB: 1:2000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-LRIG3 Antibody (N-Term) (M10158) Images



All lanes : Anti-LRIG3 Antibody (N-Term) at 1:2000 dilutionLane 1: Hela whole cell lysateLane 2: HepG2 whole cell lysateLane 3: 293T/17 whole cell lysateLysates/proteins at 20 µg per lane. SecondaryGoat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 123 kDaBlocking/Dilution buffer: 5% NFDM/TBST.

Anti-LRIG3 Antibody (N-Term)

For Research Use Only. Not for use in diagnostic procedures.