

Anti-Acetyl-Histone H4 (Lys12) HIST1H4A Rabbit Monoclonal Antibody, Clone#RM202

Catalog Number: M14495-10


Overview

Product Name	Anti-Acetyl-Histone H4 (Lys12) HIST1H4A Rabbit Monoclonal Antibody, Clone#RM202
Reactive Species	Human, Vertebrates
Description	Boster Bio Anti-Acetyl-Histone H4 (Lys12) HIST1H4A Rabbit Monoclonal Antibody, Clone#RM202 (Catalog # M14495-10). Tested in ChIP, WB, ELISA, Luminex, ICC applications. This antibody reacts with Human, Vertebrates.
Application	ChIP, ELISA, ICC, WB, Luminex
Clonality	Monoclonal RM202
Formulation	50% Glycerol/PBS with 1% stabilizing protein and 0.09% sodium azide This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P62805


Technical Details

Immunogen	An acetyl-peptide corresponding to Acetyl-Histone H4 (Lys12).
Cross Reactivity	This antibody reacts to Histone H4 acetylated at Lysine 12 (K12ac). No cross-reactivity with other acetylated Lysines in Histone H4.
Isotype	Rabbit IgG
Form	Liquid
Concentration	1 mg/mL
Purification	Protein A affinity purified from an animal origin-free culture supernatant
Suggested Dilutions	ChIP: 1µg-5 µg Western Blot: 0.5 ug/mL - 2 ug/mL ELISA: 0.5 ug/mL - 1 ug/mL Luminex: 0.5 ug/mL - 2 ug/mL Immunocytochemistry: 0.5 ug/mL- 2 ug/mL.


Anti-Acetyl-Histone H4 (Lys12) HIST1H4A Rabbit Monoclonal Antibody, Clone#RM202 (M14495-10) Images



Western Blotting result Western Blot of acid extracts from: (1) HeLa cells treated with sodium butyrate; (2) HeLa cells untreated. Using RM202 at 0.5 ug/mL, showed a band of Histone H4 acetylated at Lysine 12 in HeLa cells.



Specificity Test result RM202 specifically reacts to Histone H4 acetylated at Lysine 12 (K12ac). No cross reactivity with unmodified Lysine 12 (K126 ctrl), acetylated Lysine 5 (K5ac), Lysine 8 (K8ac), Lysine 16 (K16ac), Lysine 20 (K20ac), Lysine 31 (K31ac), or Lysine 91 (K91) in Histone H4.



ICC result Immunocytochemistry of HeLa cells treated with sodium butyrate, using Acetyl-Histone H4 (Lys12) Rabbit Monoclonal Antibody (Clone RM202) (red). Actin filaments have been labeled with fluorescein phalloidin (green).

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Acetyl-Histone H4 (Lys12) HIST1H4A Rabbit Monoclonal Antibody, Clone#RM202

For Research Use Only. Not for use in diagnostic procedures.