

## Anti-C10orf82 Mouse Monoclonal Antibody [Clone ID: OT11G4]

Catalog Number: M17878


### Overview

Product Name	Anti-C10orf82 Mouse Monoclonal Antibody [Clone ID: OT11G4]
Reactive Species	Human
Description	Boster Bio C10orf82 mouse monoclonal antibody, clone OT11G4 (formerly 1G4). Catalog# M17878. Tested in IF, WB. This antibody reacts with Human.
Application	IF, WB
Clonality	Monoclonal OT11G4
Formulation	PBS (pH 7.3) containing 1% stabilizing protein, 50% glycerol and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C as received.
Host	Mouse
Uniprot ID	Q8WW14


### Technical Details

Immunogen	Full length human recombinant protein of human C10orf82 (NP_653262) produced in HEK293T cell.
Isotype	IgG1
Concentration	0.43 mg/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Suggested Dilutions	WB 1:2000 IF 1:100

## Anti-C10orf82 Mouse Monoclonal Antibody [Clone ID: OTI1G4] (M17878) Images



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY C10orf82 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-C10orf82.



Anti-C10orf82 mouse monoclonal antibody (M17878) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY C10orf82.

### Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-C10orf82 Mouse Monoclonal Antibody [Clone ID: OTI1G4]

For Research Use Only. Not for use in diagnostic procedures.