

Anti-HA Tag Plus Antibody (monoclonal, 1A4)

Catalog Number: M30974

About TMEM177

The HA Tag is derived from the human influenza hemagglutinin corresponding to amino acids 98-106. It has been extensively used as a general epitope Tag in expression vectors. This Tag facilitates the detection, isolation, and purification of the proteins.

Overview

Product Name	Anti-HA Tag Plus Antibody (monoclonal, 1A4)
Reactive Species	All species
Description	Boster Bio Anti-HA Tag Plus Antibody (monoclonal, 1A4) catalog # M30974. Tested in Dot blot, ELISA, WB applications. This antibody reacts with All species.
Application	Dot blot, ELISA, WB
Clonality	Monoclonal 1A4
Formulation	0.5mg/ml in PBS, pH7.4 and 50% glycerol.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Mouse
Uniprot ID	Q53S58

Technical Details

Immunogen	This antibody is produced by immunizing animals with a synthetic HA tag peptide corresponding to KLH.
Predicted Reactive Species	Chimpanzee
Cross Reactivity	No cross reactivity with other proteins.
Isotype	lgG1
Form	Liquid
Concentration	0.5mg/ml
Purification	Protein A purified
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

optimal dilution ratio for your samples.
Some PubMed article(s) citing the expression level of this target are as follows:
Boster Bio's internal QC testing used:
1:500-1:5000
2.000



Anti-HA Tag Plus Antibody (monoclonal, 1A4) (M30974) Images



Western blot analysis of different concentration of Anti-

HA(1A4) Monoclonal Antibody

Antigen: Extracts from E.coli expressing HA-tagged protein

Line No.

1: 1 ug/mL

2: 0.5 ug/mL

3: 0.1 ug/mL

Blocking: Incubate the membrane with 5% Non-Fat Milk,

1PBS, 4°C, overnight

Antibody Incubation: Diluted antibody in 5% Non-Fat Milk,

1TBS, 0.1% Tween-20, RT, 30mins

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-HA Tag Plus Antibody (monoclonal, 1A4)