

Anti-survivin/BIRC5 Antibody Picoband®

Catalog Number: PA1474

About BIRC5

Survivin, also called baculoviral inhibitor of apoptosis repeat-containing 5 or BIRC5, is a protein that, in humans, is encoded by the BIRC5 gene. Survivin is a member of the inhibitor of apoptosis (IAP) family. The survivin gene contains 4 exons. The survivin gene is mapped to chromosome 17q25 by pulsed field gel electrophoresis and single- and 2-color FISH. The survivin protein functions to inhibit caspase activation, thereby leading to negative regulation of apoptosis or programmed cell death. The survivin protein is expressed highly in most human tumours and fetal tissue, but is completely absent in terminally differentiated cells.

Overview


Product Name	Anti-survivin/BIRC5 Antibody Picoband®
Reactive Species	Human
Description	Boster Bio Anti-survivin/BIRC5 Antibody catalog # PA1474. Tested in WB applications. This antibody reacts with Human. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.01mg NaN ₃ .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O15392

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human survivin.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.

Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human

Anti-survivin/BIRC5 Antibody Picoband® (PA1474) Images



Western blot analysis of BIRC5 using anti-BIRC5 antibody (PA1474). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human PC-3 whole cell lysates, Lane 2: human U20S whole cell lysates, Lane 3: human 293T whole cell lysates, Lane 4: human A549 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-BIRC5 antigen affinity purified polyclonal antibody (Catalog # PA1474) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for BIRC5 at approximately 16 kDa. The expected band size for BIRC5 is at 16 kDa.

10 Publications Citing This Product

1. PubMed ID: 25333250, Chen Xm, Xie Xb, Zhao Q, Wang F, Bai Y, Yin Jq, Jiang H, Xie Xi, Jia Q, Huang G. Mol Med Rep. 2015 Jan;11(1):105-12. Doi: 10.3892/Mmr.2014.2733. Epub 2014 Oct 21. Ampelopsin Induces Apoptosis By Regulating Multiple C-Myc/S-Phase Kinase-Associated ...
2. PubMed ID: 22773975, Cai N, Liu Nn, Zhao N, Wan C, Hu Yd, Zhou Y, Chen L. Int J Ophthalmol. 2012;5(3):293-6. Doi: 10.3980/J.Issn.2222-3959.2012.03.08. Epub 2012 Jun 18. Expressions Of Survivin And Vascular Endothelial Growth Factor In A Murine Model Of Proliferative R...
3. PubMed ID: 24519067, Zhang B, Lu Z, Hou Y, Hu J, Wang C. Tumour Biol. 2014 Jun;35(6):5401-7. Doi: 10.1007/S13277-014-1704-8. Epub 2014 Feb 12. The Effects Of Stat3 And Survivin Silencing On The Growth Of Human Bladder Carcinoma Cells.

Visit bosterbio.com/anti-survivin-antibody-pa1474-boster.html to see all 10 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-survivin/BIRC5 Antibody

For Research Use Only. Not for use in diagnostic procedures.