

## Anti-CD89/FCAR Antibody Picoband®

Catalog Number: PA1549

### About FCAR

FCAR, Receptor for Fc fragment of IGA, is also known as CD89. Human Fc-alpha receptor (FCAR) is present on a number of cell types, including neutrophils, monocytes, macrophages, and eosinophils. FCAR interacts with aggregated IgAs, such as IgA coated on the surface of an invading microorganism, and mediates several immunologic defense processes such as phagocytosis, antibody-dependent cell-mediated cytotoxicity, and stimulation of the release of inflammatory mediators. FCAR is a glycoprotein of 50 to 100 kD, with diversity on different cell types. FCAR is mapped to 19q13.4. Human COS cells transfected with FCAR cDNA bind to IgA, but not IgG.

### Overview


Product Name	Anti-CD89/FCAR Antibody Picoband®
Reactive Species	Human
Description	Boster Bio Anti-CD89/FCAR Antibody catalog # PA1549. Tested in WB applications. This antibody reacts with Human. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains antibody formulated with stabilizing components, 0.9mg NaCl, 0.2mg Na <sub>2</sub> HPO <sub>4</sub> , 0.05mg Thimerosal, 0.05mg NaN <sub>3</sub> . *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P24071

### Technical Details

Immunogen	A synthetic peptide corresponding to a sequence in the middle of human CD89.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins

Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human

## Anti-CD89/FCAR Antibody Picoband® (PA1549) Images



Western blot analysis of CD89/FCAR using anti-CD89/FCAR antibody (PA1549). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human K562 whole cell lysates, Lane 2: human Jurkat whole cell lysates, Lane 3: human HepG2 whole cell lysates, Lane 4: human CACO-2 whole cell lysates. After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes. Blocked the membrane with 5% Non-fat Milk/ TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-CD89/FCAR antigen affinity purified polyclonal antibody (Catalog # PA1549) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-DyLight 647 Conjugated secondary antibody (Left) at a dilution of 1:2000 or a goat anti-rabbit IgG-HRP Conjugated secondary antibody (Right) at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for CD89/FCAR approximately 70 kDa. The expected band size for CD89/FCAR is at 32 kDa.

### Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-CD89/FCAR Antibody

For Research Use Only. Not for use in diagnostic procedures.