

Anti-Aquaporin 5/AQP5 Antibody

Catalog Number: PA1553

About AQP5

Aquaporin 5, also known as AQP5, is a water channel protein. The aquaporins (AQPs) are a family of more than 10 homologous water transporting proteins expressed in many mammalian epithelia and endothelia. At least five AQPs are expressed in the eye: AQP0 (MIP) in lens fiber, AQP1 in cornea endothelium, ciliary and lens epithelia and trabecular meshwork, AQP3 in conjunctiva, AQP4 in ciliary epithelium and retinal Müller cells, and AQP5 in corneal and lacrimal gland epithelia. Among the seven human aquaporins cloned to date (AQPs 0-6), genes encoding the four most closely related aquaporins (AQP0, AQP2, AQP5, and AQP6) have been mapped to chromosome band 12q13, suggesting an aquaporin family gene cluster at this locus. Aquaporin 5 plays a role in the generation of saliva, tears and pulmonary secretions.

Overview


| | |
|----------------------|---|
| Product Name | Anti-Aquaporin 5/AQP5 Antibody |
| Reactive Species | Human |
| Description | Boster Bio Anti-Aquaporin 5/AQP5 Antibody catalog # PA1553. Tested in WB applications. This antibody reacts with Human. |
| Application | WB |
| Clonality | Polyclonal WH-3 |
| Formulation | Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg Thimerosal, 0.05mg NaN ₃ . |
| Storage Instructions | Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Uniprot ID | P55064 |

Technical Details

| | |
|-------------------------------|---|
| Immunogen | A synthetic peptide corresponding to a sequence at the C-terminus of human Aquaporin 5. |
| Predicted Reactive Species | Hamster |
| Recommended Detection Systems | Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot. |
| Cross Reactivity | No cross reactivity with other proteins |
| Form | Lyophilized |
| Concentration | Add 0.2ml of distilled water will yield a concentration of 500ug/ml. |

| | |
|---------------------|---|
| Purification | Immunogen affinity purified. |
| Suggested Dilutions | <p>Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.</p> <p>If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.</p> <p>Some PubMed article(s) citing the expression level of this target are as follows:</p> <p>Boster Bio's internal QC testing used: Western blot, 0.1-0.5ug/ml, Human</p> |

Anti-Aquaporin 5/AQP5 Antibody (PA1553) Images



Anti-Aquaporin 5 antibody, PA1553, Western blotting
Lane 1: MM453 Cell Lysate
Lane 2: MM231 Cell Lysate
Lane 3: SMMC Cell Lysate
Lane 4: SW620 Cell Lysate

1 Publications Citing This Product

1. PubMed ID: 26668595, Hyperosmotic stress induces cisplatin sensitivity in ovarian cancer cells by stimulating aquaporin-5 expression

Visit bosterbio.com/anti-aquaporin-5-antibody-pa1553-boster.html to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Aquaporin 5/AQP5 Antibody