

Anti-Homeobox protein Hox-A3 HOXA3 Antibody

Catalog Number: PA1602

About HOXA3

HOXA3 (HOMEODOMAIN A3) is a protein that in humans is encoded by the HOXA3 gene, which is also part of the A cluster on chromosome 7. HOXA3 encodes a DNA-binding transcription factor which may regulate gene expression, morphogenesis, and differentiation. Its cytogenetic location is 7q15.2. In vertebrates, the genes encoding the class of transcription factors called homeobox genes are found in clusters named A, B, C, and D on four separate chromosomes. Expression of these proteins is spatially and temporally regulated during embryonic development. HOXA3 protein is able to complement Hoxd3 deficiency when expressed in the context of the Hoxd3 allele.

Overview

Product Name	Anti-Homeobox protein Hox-A3 HOXA3 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Homeobox protein Hox-A3 HOXA3 Antibody catalog # PA1602. Tested in IHC, WB applications. This antibody reacts with Human, Mouse, Rat.
Application	IHC, WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg Thimerosal, 0.05mg NaN ₃ .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O43365

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human HOXA3, identical to the related rat and mouse sequences.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot, and HRP Conjugated anti-Rabbit IgG Super Vision Assay Kit (SV0002-1) for IHC(P).
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.

Suggested Dilutions

Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.

If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.

Some PubMed article(s) citing the expression level of this target are as follows:


Boster Bio's internal QC testing used:

Immunohistochemistry (Paraffin-embedded Section), 0.5-1ug/ml, Human, Mouse, Rat, By Heat
Western blot, 0.1-0.5ug/ml, Human, Mouse, Rat

Anti-Homeobox protein Hox-A3 HOXA3 Antibody (PA1602) Images



Anti-HOXA3 antibody, PA1602, Western blotting
All lanes: Anti HOXA3 (PA1602) at 0.5ug/ml
WB: SW620 Whole Cell Lysate at 40ug
Predicted bind size: 46KD
Observed bind size: 46KD



Anti-HOXA3 antibody, PA1602, IHC(P)
IHC(P): Human Pancreatic Cancer Tissue

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Homeobox protein Hox-A3 HOXA3 Antibody