

Anti-Insulin Receptor/INSR Antibody Picoband®

Catalog Number: PA1620

About INSR

INSR (INSULIN RECEPTOR) is a tetramer of 2 alpha and 2 beta subunits that are coded by a single gene and are joined by disulfide bonds, a mechanism parallel to that of its ligand, insulin. It belongs to the large class of tyrosine kinase receptors. The insulin receptor gene is mapped to 19p13.2. The insulin receptor mediates their activity by causing the addition of a phosphate group to particular tyrosines on certain proteins within a cell. The INSR gene spans more than 120 kb and has 22 exons. Functional studies of the INSR SNPs show no effect on mRNA levels or splicing in peripheral blood leukocytes or on binding of insulin to mononuclear cells.

Overview


Product Name	Anti-Insulin Receptor/INSR Antibody Picoband®
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Insulin Receptor/INSR Antibody catalog # PA1620. Tested in WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains antibody formulated with stabilizing components, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg Thimerosal, 0.05mg NaN ₃ . *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P06213

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human Insulin Receptor, different from the related rat and mouse sequences by two amino acids.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins

Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human, Rat, Mouse

Anti-Insulin Receptor/INSR Antibody Picoband® (PA1620) Images



Anti-Insulin Receptor antibody, PA1620, Western blotting
lanes: Anti Insulin Receptor(PA1620) at 0.5ug/ml
Lane 1: Rat Kidney Tissue Lysate at 50ug
Lane 2: PANC Whole Cell Lysate at 40ug
Lane 3: HELA Whole Cell Lysate at 40ug
Predicted bind size: 155KD
Observed bind size: 155KD

3 Publications Citing This Product

1. PubMed ID: 10.1016/j.anireprosci.2019.05.006, Effect of maternal feed restriction in dairy goats at different stages of gestation on skeletal muscle development and energy metabolism of kids at the time of births
2. PubMed ID: 10.1002/jbt.22488, Indomethacin decreases insulin secretion by reducing KCa3.1 as a biomarker of pancreatic tumor and causes apoptotic cell death
3. PubMed ID: 25352008, Wang Q, Sun X, Li X, Dong X, Li P, Zhao L. Mol Med Rep. 2015 Jan;11(1):151-8. Doi: 10.3892/Mmr.2014.2762. Epub 2014 Oct 23. Resveratrol Attenuates Intermittent Hypoxia-Induced Insulin Resistance In Rats: Involvement Of Sirtuin 1 And The Phosphatid...

Visit bosterbio.com/anti-insulin-receptor-antibody-pa1620-boster.html to see all 3 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Insulin Receptor/INSR Antibody

For Research Use Only. Not for use in diagnostic procedures.