

Anti-Growth hormone receptor/GHR Antibody Picoband®

Catalog Number: PA1726

About Ghr

The GHR locus to human chromosome 5p13.1-p12 and to mouse chromosome 15. Additionally, its gene has 9 exons that encode the receptor and several additional exons in the 5-prime untranslated region. The coding exons span at least 87 kb. GHR consists of an extracellular domain of 246 amino acids, a single transmembrane domain, and a cytoplasmic domain. Exons 3 to 7 encode the extracellular domain. There are 2 isoforms of GHR in humans, generated by retention or exclusion of exon 3 during splicing: a full-length isoform and an isoform that lacks exon 3 (d3GHR). Furthermore, the two isoforms of GHR are expressed in the placenta and appeared to be due to alternative splicing. In cirrhosis, there is a state of acquired GH resistance, as defined by high circulating GH levels with low IGF1 levels. Moreover, Mutations in the GHR gene have been demonstrated as the cause of Laron syndrome, also known as the growth hormone insensitivity syndrome (GHIS).

Overview

Product Name	Anti-Growth hormone receptor/GHR Antibody Picoband®
Reactive Species	Mouse, Rat
Description	Boster Bio Anti-Growth hormone receptor/GHR Antibody catalog # PA1726. Tested in WB applications. This antibody reacts with Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P16882

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence in the middle region of mouse Growth hormone receptor, identical to the related rat sequence.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG






antibody and ELISA experts	000 100 000 1 cappent@bottel.blo.co.m mm.bottel.blo.co.m
İ	İ
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Mouse, Rat



Anti-Growth hormone receptor/GHR Antibody Picoband® (PA1726) Images



Anti-GHR antibody, PA1726, Western blotting All lanes: Anti GHR (PA1726) at 0.5ug/ml Lane 1: Rat Liver Tissue Lysate at 50ug

Lane 2: Rat Kidney Tissue Lysate at 50ug Lane 3: Rat Spleen Tissue Lysate at 50ug

Lane 4: Rat Intestine Tissue Lysate at 50ug

Lane 5: Mouse Spleen Tissue Lysate at 50ug

Lane 6: Mouse Testis Tissue Lysate at 50ug

Lane 7: Mouse Liver Tissue Lysate at 50ug

Lane 8: Mouse Kidney Tissue Lysate at 50ug Lane 9: Mouse Intestine Tissue Lysate at 50ug

Predicted bind size: 72KD Observed bind size: 72KD

1 Publications Citing This Product

1. PubMed ID: 10.1126/sciadv.abg6005, Mesenchymal growth hormone receptor deficiency leads to failure of alveolar progenitor cell function and severe pulmonary fibrosis

Visit bosterbio.com/anti-growth-hormone-receptor-antibody-pa1726-boster.html to see all 1 publications.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Growth hormone receptor/GHR Antibody