

Anti-Myoglobin/MB Antibody Picoband®

Catalog Number: PA1826

About MB

Myoglobin (MB) also known as PVALB, is a single-chain globular protein of 153 or 154 amino acids, containing a heme (iron-containing porphyrin) prosthetic group in the center around which the remaining apoprotein folds. It is a member of the globin superfamily and is expressed in skeletal and cardiac muscles. This gene is mapped to chromosome 22q11-q13. Myoglobin is released from damaged muscle tissue (rhabdomyolysis), which has very high concentrations of myoglobin. The released myoglobin is filtered by the kidneys but is toxic to the renal tubular epithelium and so may cause acute renal failure.

Overview

Product Name	Anti-Myoglobin/MB Antibody Picoband®
Reactive Species	Human
Description	Boster Bio Anti-Myoglobin/MB Antibody catalog # PA1826. Tested in WB applications. This antibody reacts with Human. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains antibody formulated with stabilizing components, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg Thimerosal, 0.05mg NaN ₃ . *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P02144

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human Myoglobin.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins

Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human

Anti-Myoglobin/MB Antibody Picoband® (PA1826) Images



Anti-Myoglobin antibody, PA1826, Western blotting
Lane 1: Human Placenta Tissue Lysate
Lane 2: Human Placenta Tissue Lysate

2 Publications Citing This Product

1. PubMed ID: 25659681, Xu H, He J, Zhang Y, Fan L, Zhao Y, Xu T, Nie Z, Li X, Huang Z, Lu B, Xu P. Carbohydr Polym. 2015 May 5;121:132-9. Doi: 10.1016/J.Carbpol.2014.12.057. Epub 2015 Jan 3. Synthesis And In Vitro Evaluation Of A Hyaluronic Acid-Quantum Dots-Melphalan C...
2. PubMed ID: 21586274, Peng L, Yanjiao M, Ai-Guo W, Pengtao G, Jianhua L, Ju Y, Hongsheng O, Xichen Z. Biochem Biophys Res Commun. 2011 Jun 3;409(2):344-9. Doi: 10.1016/J.Bbrc.2011.05.021. Epub 2011 May 8. A Fine Balance Between Ccn1 And Timp1 Contributes To The Develo...

Visit bosterbio.com/anti-myoglobin-antibody-pa1826-boster.html to see all 2 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Myoglobin/MB Antibody

For Research Use Only. Not for use in diagnostic procedures.