

Anti-CD1d Antibody Picoband®

Catalog Number: PA1850

About CD1D

CD1D (CD1d molecule) also known as R3G1, Antigen-presenting glycoprotein CD1d, R3G1, CD1D, is the sole group-2 member of the CD1 family of major histocompatibility (MHC)-like glycoproteins. Expressed on the surface of various human antigen-presenting cells. They are related to the class I MHC molecules, and are involved in the presentation of lipid antigens to T cells. It is the only member of the group 2 CD1 molecules. CD1d presented lipid antigens activate a special class of T cells, known as Natural Killer T (NKT) cells. When activated, NKT cells rapidly produce Th1 and Th2 cytokines, typically represented by interferon-gamma and IL-4 production. Jayawardena-Wolf et al. described 2 different pathways of Cd1d trafficking to endosomal compartments in mouse cells. A tyrosine-based motif governs recycling between the plasma membrane and the endosome, while Cd1d associates, like major histocompatibility complex class II antigens, with the invariant chain, or Ii, in the endoplasmic reticulum. Both pathways enhance antigen presentation to Cd1d-restricted natural killer T cells.

Overview


Product Name	Anti-CD1d Antibody Picoband®
Reactive Species	Human
Description	Boster Bio Anti-CD1d Antibody catalog # PA1850. Tested in IHC, WB applications. This antibody reacts with Human. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	IHC, WB
Clonality	Polyclonal
Formulation	Each vial contains antibody formulated with stabilizing components, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg Thimerosal, 0.05mg NaN ₃ . *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P15813

Technical Details


Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human CD1d.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western

	blot, and HRP Conjugated anti-Rabbit IgG Super Vision Assay Kit (SV0002-1) for IHC(P).
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Immunohistochemistry (Paraffin-embedded Section), 0.5-1ug/ml, Human Western blot, 0.1-0.5ug/ml, Human

Anti-CD1d Antibody Picoband® (PA1850) Images



Anti-CD1d antibody, PA1850, Western blotting
Lane 1: COLO320 Cell Lysate
Lane 2: HELA Cell Lysate
Lane 3: HT1080 Cell Lysate
Lane 4: JURKAT Cell Lysate



Anti-CD1d antibody, PA1850, IHC(P)
IHC(P): Human Mammary Cancer Tissue

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-CD1d Antibody

For Research Use Only. Not for use in diagnostic procedures.