

Anti-Tyrosine-protein kinase Fer FER Antibody Picoband®

Catalog Number: PA1882

About FER

FER (FPS/FES-Related tyrosine kinase) also known as TYK3, is an enzyme that in humans is encoded by the FER gene. Fer protein is a member of the FPS/FES family of nontransmembrane receptor tyrosine kinases. By in situ hybridization, Morris et al. (1990) concluded that the FER gene is located at 5q21-q22. Treatment of cells with JMP resulted in the release of FER from the cadherin complex and its accumulation in the integrin complex. The accumulation of FER in the integrin complex and the inhibitory effects of JMP could be reversed with a peptide that mimics the first coiled-coil domain of FER. The results suggested that FER mediates crosstalk between CDH2 and ITGB1. In Fer mutant mice, leukocyte emigration was exaggerated in response to LPS without altering vascular permeability, suggesting that FER has a role in regulating innate immunity.

Overview


Product Name	Anti-Tyrosine-protein kinase Fer FER Antibody Picoband®
Reactive Species	Human, Rat
Description	Boster Bio Anti-Tyrosine-protein kinase Fer FER Antibody catalog # PA1882. Tested in IHC, WB applications. This antibody reacts with Human, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	IHC, WB
Clonality	Polyclonal
Formulation	Each vial contains antibody formulated with stabilizing components, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg Thimerosal, 0.05mg NaN ₃ . *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P16591

Technical Details


Immunogen	A synthetic peptide corresponding to a sequence in the middle region of human FER, different from the related rat and mouse sequences by two amino acids.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot, and HRP Conjugated anti-Rabbit IgG Super Vision Assay Kit (SV0002-1) for IHC(P).

Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Immunohistochemistry (Paraffin-embedded Section), 0.5-1ug/ml, Human, Rat Western blot, 0.1-0.5ug/ml, Human, Rat


Anti-Tyrosine-protein kinase Fer FER Antibody Picoband® (PA1882) Images



Anti-FER antibody, PA1882, IHC(P)IHC(P): Human Intestinal Cancer Tissue



Anti-FER antibody, PA1882, IHC(P)IHC(P): Rat Intestine Tissue



Anti-FER antibody, PA1882, Western blotting All lanes: Anti FER (PA1882) at 0.5ug/ml
Lane 1: HELA Whole Cell Lysate at 40ug
Lane 2: Rat Testis Tissue Lysate at 50ug
Lane 3: Rat Ovary Tissue Lysate at 50ug
Predicted bind size: 95KD
Observed bind size: 95KD

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Tyrosine-protein kinase Fer FER Antibody

For Research Use Only. Not for use in diagnostic procedures.