

Anti-Somatostatin/SST Antibody

Catalog Number: PA2054

About SST

SST (Somatostatin), also known as SMST, is a peptide hormone. Naylor et al. (1983) assigned the somatostatin gene to chromosome 3 by analyzing somatic cell hybrids with a polymorphic gene probe. Yacubova and Komuro (2002) examined the effects of somatostatin in cerebellar granule cells of early postnatal mice, because these cells express all 5 types of somatostatin receptors before the initiation of their migration. Saito et al. (2005) found that somatostatin modulated the proteolytic degradation of beta-amyloid catalyzed by neprilysin both in vitro and in vivo.

Overview

Product Name	Anti-Somatostatin/SST Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Somatostatin/SST Antibody catalog # PA2054. Tested in IHC, WB applications. This antibody reacts with Human, Mouse, Rat.
Application	IHC, WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P61278

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human Somatostatin, identical to the related rat and mouse sequences.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot, and HRP Conjugated anti-Rabbit IgG Super Vision Assay Kit (SV0002-1) for IHC(P) and IHC(F).
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Immunohistochemistry (Frozen Section), 0.5-1ug/ml, Rat, Human, Mouse Immunohistochemistry (Paraffin-embedded Section), 0.5-1ug/ml, Human, Rat, Mouse, By Heat Western blot, 0.1-0.5ug/ml, Human, Rat, Mouse




Anti-Somatostatin/SST Antibody (PA2054) Images



Anti-Somatostatin antibody, PA2054, Western blotting

Lane 1: Rat Brain Tissue Lysate Lane 2: HELA Cell Lysate

Lane 3: SW620 Cell Lysate Lane 4: MCF-7 Cell Lysate



Anti-Somatostatin antibody, PA2054, IHC(P) IHC(P): Rat Brain Tissue

5 Publications Citing This Product

1. PubMed ID: 17465454, Zong Yf, Chen Wh, Zhang Ys, Zou Sx. World J Gastroenterol. 2007 Apr 14;13(14):2094-9. Effects Of Intra-Gastric Beta-Casomorphin-7 On Somatostatin And Gastrin Gene Expression In Rat Gastric Mucosa.

2. PubMed ID: 23928218, Chen M, He M, Peng K, Liu T, Jin C, Cao W, Wang L, Xiao K. Tissue Cell. 2013 Dec;45(6):363-6. Doi: 10.1016/J.Tice.2013.06.002. Epub 2013 Aug 5. An Immunohistochemical Study Of Somatostatin In The Stomach And The Small Intestine Of The African Ostr...

3. PubMed ID: 25440532, Wang H, Zhou N, Zhang R, Wu Y, Zhang S. Acta Histochem. 2014 Oct;116(8):1418-26. Doi: 10.1016/J.Acthis.2014.09.005. Epub 2014 Oct 23. Identification And Localization Of Gastrointestinal Hormones In The Skin Of The Bullfrog Rana Catesbeian...

Visit bosterbio.com/anti-somatostatin-antibody-pa2054-boster.html to see all 5 publications.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.