

Anti-Cyclin-dependent kinase 7 Cdk7 Antibody Picoband®

Catalog Number: PA2126-2

About Cdk7

Cyclin-dependent kinase 7, also known as cell division protein kinase 7, is an enzyme that in humans is encoded by the CDK7 gene. The protein encoded by this gene is a member of the cyclin-dependent protein kinase (CDK) family. The gene was assigned to human chromosome 5q13.2. Serine/threonine kinase involved in cell cycle control and in RNA polymerase II-mediated RNA transcription. CDK7 is the catalytic subunit of the CDK-activating kinase (CAK) complex. It is required for DNA-bound peptides-mediated transcription and cellular growth inhibition.

Overview


Product Name	Anti-Cyclin-dependent kinase 7 Cdk7 Antibody Picoband®
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Cyclin-dependent kinase 7 Cdk7 Antibody catalog # PA2126-2. Tested in WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains antibody formulated with stabilizing components, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg Thimerosal, 0.05mg NaN ₃ . *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q03147

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of mouse Cdk7, identical to the related rat sequence, and different from the related human sequence by two amino acids.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins

Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human, Rat, Mouse

Anti-Cyclin-dependent kinase 7 Cdk7 Antibody Picoband® (PA2126-2) Images



Anti-Cdk7 antibody, PA2126-2, Western blotting All lanes:
Anti Cdk7 (PA2126-2) at 0.5ug/ml Lane 1: Rat Testis Tissue
Lysate at 50ug Lane 2: Rat Ovary Tissue Lysate at 50ug
Lane 3: HELA Whole Cell Lysate at 40ug Lane 4: MCF-7
Whole Cell Lysate at 40ug Lane 5: A549 Whole Cell Lysate at
40ug Lane 6: COLO320 Whole Cell Lysate at 40ug Predicted
bind size: 39KD Observed bind size: 39KD

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Cyclin-dependent kinase 7 Cdk7 Antibody

For Research Use Only. Not for use in diagnostic procedures.