

# Anti-IRAKM/IRAK3 Antibody

Catalog Number: PA2207-1

#### **About IRAK3**

Interleukin-1 receptor-associated kinase 3, also called IRAK3 or IRAKM is an enzyme that in humans is encoded by the IRAK3 gene. The IRAKM gene consists of 12 exons spanning a region of approximately 60 kb in chromosome 12q14.3. This gene encodes a member of the interleukin-1 receptor-associated kinase protein family. Members of this family are essential components of the Toll/IL-R immune signal transduction pathways. This protein is primarily expressed in monocytes and macrophages and functions as a negative regulator of Toll-like receptor signaling. Mutations in this gene are associated with a susceptibility to asthma.

#### Overview

Product Name	Anti-IRAKM/IRAK3 Antibody
Reactive Species	Human
Description	Boster Bio Anti-IRAKM/IRAK3 Antibody catalog # PA2207-1. Tested in WB applications. This antibody reacts with Human.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q9Y616

#### **Technical Details**

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human IRAKM.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.




# BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.  If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.  Some PubMed article(s) citing the expression level of this target are as follows:  Boster Bio's internal QC testing used:  Western blot, 0.1-0.5ug/ml, Human



## Anti-IRAKM/IRAK3 Antibody (PA2207-1) Images



Anti-IRAKM antibody, PA2207-1, Western blotting

Lane 1: HELA Cell Lysate Lane 2: JURKAT Cell Lysate Lane 3: HUT102 Cell Lysate

## Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-IRAKM/IRAK3 Antibody